Higgins Library of Agricultural Technology

University Library Davis



Higgins Library of Agricultural Technology

University Library Davis



WARNING!

"Caterpillar" is registered not only in the United States of America, but practically every country in the world as the exclusive trade-mark of The Holt Manufacturing Company, and none others can use said trademark without infringing the rights of the Holt Manufacturing Company.



WESTERN TEN TON TRACTOR

72 Inch Tread

Model T.S. 21

The Holt Manufacturing Company

- Incorporated -

Stockton, California, U. S. A.

San Francisco Spokane Los Angeles Wichita New York Calgary Portland Peoria

NUMBER PL-127

•

MAY 1, 1922

Price List

of

Parts

4254

CONTENTS

INSTRUCTIONS FOR ORDERING EXTRAS
INSTRUCTIONS FOR ORDERING EXTRAS
INSTRUCTIONS FOR RETURNING GOODS. TELEGRAPH CODE For the purpose of saving our customers expense in the and the same saving our customers expense in the and the same saving our customers expense in the and the same saving our customers expense in the and the same saving our customers expense in the saving our
this heading a brief general code of miscellaneous instructions for shipping, together with an example showing the
INDEX TO GROUPS. CLASSIFIED LIST
In listing parts in this book the number has been to similar
part. To accomplish this, we have listed parts in two different ways. The first, or classified list, has the
parts arranged in groups according to their use or location on the "Catonnillan "
NUMERICAL LIST
This list contains the same items that are given in the classified list, but in this case the items are arranged in numerical order; that is according to the part runb.
The manufact of doi, that is, according to the part himpers
When one desires to find the part that corresponds to any particular code word, this is the list to use, as in
this list the Code Words are arranged alphabetically.

INSTRUCTIONS FOR ORDERING EXTRAS.

- 1. Order all parts from the nearest Branch or Authorized Agent in your territory.
- 2. Observe carefully the Part Number and the letter on the part for which you want a duplicate. Be sure to state that Part Number and letter in your order, with the description following it, in the list of repairs.

In reading numbers, be sure that you are reading them right side up. Many numbers are capable of being read upside down, as 1166, 809 and 981.

- 3. State plainly your post office address (also freight station), county and state to which the goods are to be sent. State whether by parcel post or express (if express, by what company), or freight and by what route.
- 4. Always make out your order for Extras on a Separate Sheet, and not in the body of your letter, and on this sheet, give the way you want the material sent, by mail, what express company, freight by what railroad, and to what town.
- 5. There are several sizes of many parts, and it is necessary to show on your order the full dimensions and give a full description.
- 6. In ordering Extras, be careful to use the Part Names and Part Numbers in your order that are used in the following lists. When ordering by Telegraph Word or Code Word, be sure that each letter in the word is correct, as these words are very much alike and one letter wrong might make quite a difference in your order. When the Code Word alone is used and no quantity shown, it is understood that one only of each is wanted.
- 7. Prepay freight and express charges on sample castings or extras sent us and put your name on the back of the shipping tag.
- 8. No goods are shipped by us without the approval of our Credit Department. A customer whose financial standing is unknown to us and who desires to open up an account with us on a credit basis, should, with his first order, furnish us with satisfactory references.

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Page 1

INSTRUCTIONS FOR RETURNING GOODS.

It sometimes becomes necessary for our customers to return sundry parts. In order to insure our giving proper credit for any such returns, it is essential that the following instructions be carefully observed:

- 1. Advise us in separate letter that you are returning goods to us, and why.
- 2. Give us the date of our invoice wherein we charged you with the goods.
- 3. Give us our order number covering the shipment to you.
- 4. Advise us the name of the carrier over which you are returning the goods to us.
- 5. Always prepay shipments.
- 6. Send shipping receipt, covering the return, with your letter.
- 7. Address each article plainly and put your name on the back of the shipping tag.

Note: In writing letters to us, endeavor to group your letter according to subjects. If you are sending us an order, have your letter refer only to the order. Do not advise us in letter appertaining to order that you are returning goods to us. Our business is grouped by Departments. The Order Department receives the orders, the Receiving Department receives notices of incoming shipments, the Accounting Department receives letters appertaining to collections and complaints. You can thus see the necessity of grouping your letter according to subjects.

Page 2

TELEGRAPH CODE

For the convenience of our customers, to save expense and to expedite ordering, we have assigned a code word for each part of the "Caterpillar" Western Ten Ton. These Code Words consist of five letters each and can be joined together, making one word of ten letters, as illustrated below. Any customer who desires to have a single code word which may be used in place of the "Caterpillar" number in ordering extras, can obtain such code word by writing the Stockton office for it. We have also given a brief General Code for miscellaneous instructions, questions and answers relative to ordering and shipping parts wanted.

In telegraphing an order, start with the code, telling us how to ship, then use the word for the part wanted, stating the amount required, and then give the number of the Tractor.

The following is an illustration of a straight message and the corresponding Code message: STRAIGHT MESSAGE CODE MESSAGE The Holt Manufacturing Company, The Holt Manufacturing Company, Stockton, California. Stockton, California. Ship to me by Wells Fargo Express, two gudgeon Sopha two cijdy, cadzi, chiagcexat, Tractor twenty-two brackets 107993, one collar 2235SS, one tappet rod 164412 thousand and seventy-eight. and one connecting rod bolt 162724. Tractor twenty-two thousand and seventy-eight. (Name) (Address) (Name) (Address) Signed.... Signed..... GENERAL CODE Sonst-Ship to me (us) by express. Spatz-When and how will you ship parts called for in my (our) Sooty-Ship by express to..... telegram of Sopha-Ship to me (us) by Wells Fargo Express. Spiel-When and how will you ship parts called for in my (our) Sopor-Ship to me (us) by American Express. letter of Sorat-Ship to me (us) by freight, via Spule-When and how did you ship parts called for in my (our) Sorlo-Ship to me (us) by freight. letter of Soyon-Ship to me (us) by mail. Staub-Cancel order for parts my (our) telegram of...... Spalt-When and how did you ship parts called for in my Sterz-Cancel order for parts my (our) letters of......

(our) telegram of

Stufe-Add to my (our) telegraph order of......

INDEX TO GROUPS

1	Crank Case and Crank Shaft6	29	Final Drive Gear Dust Guard
1	Oil Reservoir	30	Gear Case Cover
2			Friction Steering Clutch Shifter
3	Flywheel	31	
4	Cylinder7	32	
5	Piston 7	33	TITOUTON DOUGLAND OTHER PLANE
6	Cylinder Head	34	Steering Brake Control22-2
7	Connecting Rod7	35	Truck Frame
8	Release Cock and Priming Cup 8	36	Truck Frame Assembly Front, Right and Left23-2
9	Rocker Arms, Tappets and Valve Rods 8	37	Rear Thrust Rod
10	Camshaft 8	38	Pivot Shaft
11	Timing Gear Case and Timing Gears 9	39	Track Carrier Roller
12	Governor9-10	40	Draw Bar 2
13	Governor Throttle and Carburetor	41	Operator's Seat
14	Magneto and Cables 10	42	Idler 2
15	Air Warmer Group	43	Front Cross Tie Rod 2
16	Inlet and Exhaust Manifold 11	44	Rear Cross Tie Rod 2
17	Water Pump11-12	45	Truck Spring 2
18	Oil Pump	46	Fender 2
19	Crank Case Oil Piping	47	Engine Hood
20	Radiator Fan	48	Fuel Tank 2
21	Starting Crank	49	Air Clarifier 2
22	Master Friction Clutch	50	Tool Box 2
23	Transmission Gear Case and Bearing Caps15-16	51	Motor Mounting
24	Crank Shaft Extension #2 16	52	Radiator Mounting27-2
25	Change Speed Counter Shaft	53	Fan Shield
26	Friction Steering Clutch Shaft	54	Power Pulley Attachment
27	Intermediate Shaft	55	Motor Control
28	Track Drive Shaft	56	Track Chain

CLASSIFIED LIST

	CRANK CASE AND CRANK SHAFT—GROUP NO. 1			
Part No.	Price	Part Name	Code	
107565	150.00	Crank Case	Caoyz	
107590	155.00	Crank ShaftDrop-forged, all bearings ground		
Z659	9.95	Crank Shaft BearingFor flywheel end, babbitted with Spec. Arm. Metal		
107639	10.50	Bearing Cap For bearing Z659, babbitted with Spec. Arm. Metal	Catyi	
Z655	6.50	Crank Shaft BearingFor center bearing, babbitted with Spec. Arm. Metal	Cimve	
Z660	4.95	Bearing Cap For bearing Z655, babbitted with Spec. Arm. Metal	Cimyg	
107906	7.35	Crank Shaft BearingFor gear end, babbitted with Spec. Arm. Metal	Cefdt	
107613	5.25	Bearing Cap For bearing 107906, babbitted with Spec. Arm. Metal	Casno	
161731	.70	Stud BoltFor crank shaft bearings, 103323, with nuts and cotters, 5/8"x71/4".	Cewfo	
M2025	.25	Special NutFor crank shaft center bearing stud, tapped 5%"	Cigre	
162725	1.05	Special BoltFor crank shaft end bearings, 58 "x518" with nut and cotter	Cexdo	
107966	.07	Shim	Ceilu	
109064	.04	Shim	Ceneu	
107967	.03	Shim	Ceime	
109063	.02	Shim	Cemua	
107643	.04	Shim	Caudz	
107642	.03	Shim	Cauci	
107650	2.95	Side Plate		
107886	.20	GasketFor side plate 107650, card board		
107699	.25	Stud BoltFor crank case door, 5% "x35%" long		
108103	.30	Acorn NutFor crank case door stud 107699		
107394	.08	Dowel	Caolu	
		OIL RESERVOIR—GROUP NO. 2		
107708	11.85	Oil ReservoirBolts to bottom of crank case	Caxpe	
M3516	.25	GasketFor oil reservoir 107708, card board	Cihih	
164363	4.95	Oil Filler AssemblyComplete with cap, gasket and indicator rod	Cheem	
107705	2.95	Oil FillerFor oil filler assembly	Caxmy	
108174	1.75	CapFor oil filler assembly		
107700	.25	Indicator RodFor oil filler assembly, 1/4"xl41/2" long	Caxes	
108194	.06	GasketFor oil filler assembly, seigelite	Cekiz	
		FLYWHEEL—GROUP NO. 3		
Z683	94.00	FlywheelBolts to flange on crank shaft, teeth cut for starting device		
162700	.85	Special BoltBolts flywheel to crank shaft, 34"x21/2", with nut and cotter pin	Cewzu	

	CYLINDERS—GROUP NO. 4			
Part No.	Price	Part Name	Code	
165524	24.00	Cylinder Assembly#1 cylinder, complete with studs and nuts	Chuve	
165525	24.00	Cylinder Assembly#2 or #3 cylinder, complete with stude and nuts	Chuwk	
165526	24.00	Cylinder Assembly#4 cylinder, complete with studs and nuts	Chuxy	
164960	.30	Stud Bolt	Chowe	
165541	.35	Stud BoltFor cylinders, 5%"x7" with nut (106923)	Chylz	
165103	.40	Stud Bolt	Choxi	
164944	.20	Stud Bolt	Chotz	
100292	.04	GasketBetween cylinder and crank case, rubber, 16 xl 16 xl 17	Callb	
		PISTONS—GROUP NO. 5	1000g	
AM1435	12.50	Piston AssemblyComplete with rings, set screw, lock washer and nut	Cidfo	
M2292	.60	Piston RingFor piston, ground and cut	Ciguz	
M1112	2.75	Wrist PinFor piston, special steel, case-hardened and ground	Cifel	
Maded's		CYLINDER HEADS—GROUP NO. 6	10016	
164362	22.00	Cylinder HeadComplete with valves, springs and valve guides	Cheda	
M2293	1.00	GasketFor cylinder head, copper asbestos	Cigyu	
160559	2.30	Valve Assembly	Cevto	
A93	.95	GuideFor valve stem	Ciase	
103101	.35	SpringFor intake and exhaust valve, $1\frac{5}{16}$ I.D. x $4\frac{1}{4}$ long	Calze	
107651	2.25	Dust CoverFor cylinder head and rocker arms	Caunx	
165542	.15	Stud BoltFor cylinder head dust cover, ½"x3" long	Chymd	
200 D		CONNECTING RODS—GROUP NO. 7	201-1-31 131-1-31	
AM1463	25.50	Connecting RodComplete with bushings, shims and bolts	Cidgy	
B355	1.25	Bushing For conn. rod, crank pin end, Spec. Arm. Metal (2 required per rod)	Cieba	
B359	2.25	Bushing For conn. rod, wrist pin end, Ph. Brz., 115 "x216" x218" 1g	Cieci	
M11181	.20	Set ScrewSpecial, holds bushing in rod, 3/8"x5/8"	Cimco	
106018	.08	ShimFor connecting rod, sheet brass, .0625" thick	Camyn	
106028	.03	ShimFor connecting rod, sheet brass, .012" thick	Canax	
108994	.03	ShimFor connecting rod, sheet brass, .004" thick	Celue	
162724	1.20	Special BoltFor connecting rod, 3/4"x45/8", with nut and cotter pin	Cexat	

	RELEASE COCK AND PRIMING CUPS—GROUP NO. 8			
Part No.	Price	Part Name	Code	
AM1656		Release CockWrite for price	Cidun	
M1427	.65	Lever	Cigei	
AM1522		Priming CupFor cylinder heads, brass	Cidji	
M1144	.45	LeverFor priming cups, forged, 1/8"x1/2"x2' 8"	Cifiu	
		ROCKER ARMS—TAPPETS AND VALVE RODS—GROUP NO. 9		
165527	2.60	Bracket	Chuyg	
164361	1.15	Rocker ArmFor intake and exhaust valves, chilled wearing surfaces	Checs	
M2503	.80	PinFor rocker arms, 15 x5 %, case-hardened and ground	Cihad	
M2504	.40	Washer	Cihbu	
109092	2.30	GuideFor tappet, bolts to crank case	Cenha	
ZH31	2.00	TappetWith chilled face, ground	Cinfu	
164412	1.25	Tappet RodTappet rod, with adjustable ball and lock nut	Chiag	
107646	.75	Tappet Rod	Cauhu	
109158	.50	BallFor tappet rod, case-hardened	Cepem	
107645	.50	HousingFor tappet rod, 1" dia. x 14½" long	Cauft	
107402	.08	WasherFor tappet rod housing, felt	Caome	
107647	.15	ClampFor felt washer 107402	Cauin	
M12018	.04	GasketFor tappet guide, seigelite, 32 x21/2 x73/8	Cimiw	
		CAM SHAFT—GROUP NO. 10	in the	
164407	55.00	Cam Shaft AssemblyShaft with cams, center bearing and spiral gear	Cheuw	
107640	6.50	Shaft	Cauag	
Z438	1.60	CamIntake or exhaust, face chilled and ground	Cimud	
164429	5.25	Center BearingFor cam shaft, Phos. Bronze, bushed	Chiso	
M10630	1.85	Spiral GearFor cam shaft, 13 teeth, 13 bore	Ciluw	
164409	5.25	End Bearing For flywheel end of cam shaft, Phos. Bronze, bushed	Chewy	
164408	6.50	End BearingFor gear end of cam shaft, Phos. Bronze, bushed	Chevi	
108936	2.25	Bushing	Celgu	
107648	1.60	BushingFor cam shaft flywheel end bearing, Ph. Brz., 136"I.D.x176"0.D.x3" lg	Cauke	
107784	.95	Bushing For cam shaft gear end bearing, Ph. Brz., $1\frac{3}{16}$ " B. x $1\frac{7}{16}$ " 0.D. $1\frac{3}{4}$ " 1g	Ceboz	
Page 8		AT WAYS GIVE "CATEDDILLAD" TRACTOR NUMBER WHEN OPPERING PREATES		

TIMING GEAR CASE AND TIMING GEARS—GROUP NO. 11

Part No.	Price	Part Name	Code
164410	17.50	Gear CaseFor timing gears, Phos. Bronze bushed	Cheyl
107554	19.50	CoverFor timing gear case 164410	Caoof
107827	.95	CoverFor pump gear on timing gear case	Cecoj
107907	.50	Cover For opening for generator in timing gear case	Cefex
107910	.25	Special BoltFor timing gear case, 3%"x31/4" long	Cefju
165509	.35	Special BoltFor timing gear case, 3/8"x43/8" long, ground to size	Chuap
165506	.35	Special BoltFor timing gear case, 3% "x43%" long	Choyb
165510	.30	Special BoltFor timing gear case, 3%"x334" long	Chuco
165508	.40	Special BoltFor timing gear case, 3/8"x51/8" long	Chozy
107649	16.75	Timing GearFor cam shaft, drop forged, 116" bore, 68 teeth	Caulp
107644	.20	Retaining WasherFor cam shaft timing gear, 1/8 "x335" I.D.x115" 0.D	Caueh
107641	7.40	Timing GearFor crank shaft, drop forged, 21/2" bore, 34 teeth	Cauba
107968	.85	Retaining WasherFor crank shaft timing gear, 18 x 35 I.D.x3 O.D	Ceiny
107654	5.50	GearFor pump and magneto shaft, cast iron, 116 bore, 34 teeth	Cauok
107644	.20	Retaining WasherFor pump and magneto shaft gear, 1/8 "x35" I.D.x115" O.D	Caueh
107661	3.75	Bushing For pump and magneto shaft, Phos. Brz., 17 x1 1/8 x3 4 long	Cavca

GOVERNOR—GROUP NO. 12

164024	11.50	Governor Gear For governor, Phos. Bronze bushed, 134" bore x 51/2 0.D., 31 teeth.	Cexge
107327	1.75	Bushing For governor gear, Phos. Bronze, 13/8" I.D.x13/4" 0.D.x2" long	Caofs
122201	.75	WeightFor governor	Cevpy
107322	.05	Pin	Caoed
165648	13.25	Gear Assembly Governor gear 164024, with weights and pins	Ciard
108993	1.35	Washer For governor gear, Phos. Bronze, 38 x158 0.D	Celoa
107662	2.65	ShaftFor governor gear, 1½" dia. x 6½" long	Cavdu
107199	.20	NutFor governor gear shaft 107762	Canvi
107340	1.60	PlungerFor governor, Phos. Bronze	Caoik
164073		Roller Bearing	Cexly
107663	1.75	Lever For governor, connects plunger to throttle rod	Cavep
107656	.20	Pin For governor lever, ½"x4½" C.R.S	Caury
107660	.35	Seat For governor spring, screw end, 13/8" rd. x 15/8" long	Cavby
109185	.25	Seat For governor spring, lever end, 13/8" rd. x 1" long	Cepho
120699	.60	Spring For governor, #8 ga., 11/8" I.D.x51/4" long, spring steel	Ceuan

		GOVERNOR—GROUP NO. 12—Continued	
Part No.	Price	Part Name	Code
107659	.40	Adjusting ScrewFor governor spring, ½"x4" long	Cauvd
107952	.05	Gasket Between spring housing and gear housing, seigelite, 32"x21/4"x35/8".	Ceifs
107657	1.10	HousingFor governor spring, cast iron	Causo
107677	.95	Cover For governor, bolts to timing gear case	Cavyj
107850	.15	GasketFor governor cover 107677, seigelite, 32 x8 x14 4	Cedci
01300		GOVERNOR THROTTLE AND CARBURETOR—GROUP NO. 13	orevol
165643	6.75	Throttle Body For governor throttle, housing, shaft, valve and lever	Ciaoc
120788	2.75	HousingFor governor throttle valve	Cevol
107200	.20	Bushing	Canwy
120762	.06	Shaft	Cevde
120763	.45	ValveFor governor throttle, brass	Ceveg
107175	.45	LeverFor governor throttle shaft	Canij
107198	.15	PinFor governor throttle rod, C. R. S. 16 "x/%"	Canuw
107701	.10	Cover	Caxfi
107887	.05	GasketBetween manifold and throttle body, seigelite	Ceena
107703	.95	Rod	Caxip
107658	1.25	Tube	Cauub
AM48		CarburetorSchebler 11/2" SpecialWrite for price	Ciaup
107197	.65	Rod End	Canru
107195	.20	PinFor throttle rod end, ½"x1¾"	Canog
120787	.20	BushingFor throttle valve housing, 3/8" I.D.x5/8" 0.D.x3/8" long	Cevli
Yerrol		MAGNETO AND CABLES—GROUP NO. 14	100000
164128		Magneto	Cexom
107851	2.95	Bracket	Ceddz
M1429	1.80	Oldham Coupling	Cight
M1430	1.75	Oldham Coupling	Cigid
M1431	1.15	Oldham CouplingPiece #5, for magneto, with slots	Cigla
164636	5.25	Fibre Tube AssemblyComplete with cables	Chold
M1052	.15	Clamp For fibre tube, bolts to cylinders	Ciews
M1050	2.75	Fibre TubeFor magneto cables, tube only	Cieub
164645	.75	Magneto CableFor #1 and #2 cylinders, 28½" long with terminals	Chomp
164646	.85	Magneto CableFor #3 cylinder, 37½" long, with terminals	Chong
164647	.95	Magneto CableFor #4 cylinder, 44½" long, with terminals	Choow
AM1509		Spark Plug	Cidis
Page 10		ALWAYS GIVE "CATERPILLAR" TRACTOR NUMBER WHEN ORDERING REPAIRS	

	AIR WARMER—GROUP NO. 15			
Part No.	Price	Part Name	Code	
164400	7.45	Air warmer AssemblyBody, valve, shaft and lever, bolts to manifold	Choex	
107857	5.40	BodyFor air warmer	Cedke	
107865	.25	Valve RodFor air warmer valve	Cedyf	
107908	.15	ShaftFor air warmer valve, 3%"x47%"	Cefiv	
107875	.35	LeverFor air warmer valve, cast iron	Ceecu	
108342	.10	PinFor air warmer lever, 3/8"x3/4"	Cekno	
108343	.15	SpringFor air warmer lever pin, #19 ga. steel wire, 11/8" long	Cekod	
164560	4.35	Flexible TubeFor air intake, tube, clamps and flange	Choka	
165543	.25	Stud Bolt	Chynk	
a salite		INLET AND EXHAUST MANIFOLDS—GROUP NO. 16		
107573	6.50	Inlet ManifoldReplaces 108932	Caphy	
107764	9.45	Exhaust ManifoldFor motor exhaust, cast iron	Ceaul	
M1417	.10	GasketFor inlet and exhaust manifold, copper asbestos	Cigak	
107965	.75	ClampFor manifold, cast steel	Ceikt	
120785	.75	ClampFor manifold, right hand, cast steel	Cevit	
120786	.75	ClampFor manifold, left hand, cast steel	Cevia	
165547	.35	Stud BoltFor manifold clamps, 5% "x65%" iron	Chyth	
0.010		WATER PUMP—GROUP NO. 17	1838	
164414	37.50	Water Pump	Chiba	
164415	9.75	Pump BodyFor water pump, body 107674 with bearing 107689	Chici	
164416	5.50	Cover For water pump, cover 107673 with bearing 107689	Chift	
107689	1.45	Bearing	Cawpo	
107836	8.95	ShaftFor magneto and water pump, 1½"x26½" long	Cecxe	
107847	.75	CollarFor water pump shaft, $1\frac{5}{64}$ " I.D. x $2\frac{5}{8}$ " O.D. x 1" long	Cedba	
107924	1.95	RunnerFor water pump	Cefow	
107146	.95	Gland For packing, water pump, Phos. Bronze, $1\frac{21}{32}$ " O.D. x $\frac{15}{6}$ " long	Canho	
107687	2.25	Nut For packing gland, water pump, left hand thread, Phos. Bronze	Cawma	
107688	2.25	Nut For packing gland, water pump, right hand thread, Phos. Bronze	Cawnu	
107694	.55	Suction Pipe FlangeFor water pump, tapped for 1" pipe	Cawum	
107707	1.95	Discharge PipeFor water discharge, flanged	Caxna	
109130	.12	ShimBetween water pump and crank case, steel, .004" thick x 11/8 "x41/8" 1g.	Cenil	
107695	1.15	ElbowFor water pump discharge	Cawyp	
165544	.15	Stud BoltFor flanged discharge pipe, ½"xl5%" long	Chyoj	

THE HO	THE HOLT MANUFACTURING COMPANY				
		WATER PUMP—GROUP NO. 17—Continued			
Part No.	Price	Part Name	Code		
107576	5.35	Water ManifoldOutlet from cylinder head	Capue		
107832	.04	GasketFor water manifold, seigelite, 15% "x31/4"	Cecwo		
165546	.15	Stud Bolt For water manifold, 3/8"x11/2" long	Chysm		
107889	.05	Casket For flanged discharge pipe, seigelite, 2"x37%"	Ceeon		
120706		PackingFor water pump, $1\frac{1}{16}$ " I.D. x $1\frac{11}{16}$ " 0.D. x $\frac{5}{16}$ " thickWrite for price	Ceuet		
		OIL PUMP—GROUP NO. 18			
AM143	13.25	Rotary Oil PumpComplete with shaft	Ciaxa		
ACDH5	4.85	BodyFor rotary oil pump	Ciatl		
M1062	1.95	ShaftFor rotary oil pump, 3/4"x24" long	Cifae		
M11187	1.45	Gear For rotary oil pump, keywayed, 1½" dia., 1" face, 7 teeth	Cimej		
M11188	1.35	GearFor rotary oil pump, not keywayed, 1½" dia., 1" face, 7 teeth	Cimga		
M1186	.15	PinFor rotary oil pump gear, ½"xl16" long	Cifua		
Z713	1.25	Cover For rotary oil pump body, Phos. Bronze	Cinen		
M2013	.35	ScreenFor rotary oil pump, brass	Cigor		
M2087	.35	ClampFor rotary oil pump screen	Cigsy		
Z674	3.20	Spiral Gear For rotary oil pump shaft, Phos. Bronze, 16" bore, 13 teeth	Cinab		
B251	1.60	Bushing For rotary oil pump shaft, Phos. Bronze, 116 bore x 2 long	Cidzu		
102143	.45	Thrust WasherFor rotary oil pump shaft, 134" dia., 32" thick, Phos. Bronze	Calsk		
102142	.35	Thrust WasherFor rotary oil pump shaft, 134" dia., 1/8" thick, Phos. Bronze	Calov		
102141	.40	Thrust Washer For rotary oil pump shaft, 13/4" dia., 16" thick, Phos. Bronze	Calmo		
M9046	.05	Gasket Between rotary oil pump body and cover	Cilem		
		CRANK CASE OIL PIPING—GROUP NO. 19			
164167	3.45	Oil Relief Valve	Cexpu		
108158	1.85	Base For oil gauge	Cejyk		
108154	.25	BallFor oil relief valve, 3/4" dia	Cejxa		
108153	.50	Spring For oil relief valve ball, 3/4" 0.D., 13/4" long	Cejvu		
165548	.45	Adjusting Screw For oil relief valve spring, 78"x21/2" with lock nut	Chyuc		
107953	1.30	Distributor PipeFor crank case oil, 1/2"x3' 276" long	Ceijo		
108140	.40	Header NutFor oil line, 3/4"	Cejse		
M10658	.25	Oil PipeFor bearings, copper, 3/4"xll" long	Cilvi		
162641		Pressure GaugeFor oiling system	Cewop		

,	RADIATOR FAN—GROUP NO. 20			
Part No.	Price	Part Name	Code	
164444	48.50	Fan AssemblyFor radiator, fan, housing, bearings, shaft and tighteners	Chiub	
164447	12.25	Fan Blades and Hub		
164502	6.50	Fan Blades and ArmArm and blades, less hub	Chobs	
107684	5.75	Fan HubLess arm and blades	Choju	
107141	2.50	ArmRivets to fan hub 107684.	Cawfy	
107210	1.00	BladeFor fan, rivets to fan arm 107141	Canfe	
164443		Bearing	Canyl	
107685	4.25	HousingFor fan roller bearing	Chity	
164445		Roller BearingFor fan, S. K. FWrite for price	Cawgi	
164446		Roller BearingFor fan, GurneyWrite for price	Chiyf	
107680	.35	Spacer	Choaj	
107682	9.75	ShaftFor radiator fan, 1½"x15" long	Cavzo	
107757	.10	Felt WasherFor radiator fan shaft, 76" thick x 15%" I.D. x 25%" 0.D	Cawas	
107686	1.50	RetainerFor washer 107757 in fan shaft	Ceani	
107683	1.90	Drive Disc	Cawir	
107346	1.50	Drive Disc	Cawek	
107328	.40	WasherFor tightener, radiator spring fan drive, 21/4" 0.D. x 1/2" thick	Caojo	
107321	.60	SpringFor tightener washer 107328, 1 11 I.D. x 23/8" long	Caogn	
165545	.20	Stud Bolt	Caoam	
Constitution of		STARTING CRANK—GROUP NO. 21	011018	
164319	6.50	Starting Crank Assembly Complete, crank, handle and handle pin		
107671	3.75	BracketFor starting crank, cast iron		
107915	.50	Crank Pin	Cavte	
107669	4.75	SprocketFor starting crank, 26 teeth	Cefka	
164417	5.75	Roller ChainFor starting device	Cavos	
107666	1.65	SprocketFor starting drive, 13 teeth	Chihu	
120368	2.25	Shaft	Cavim	
120367	11.75	BearingFor starting drive, cast iron	Cetry	
120370	3.85	GearFor starting drive, 18 teeth	Cetob	
120369	.95	Collar	Cetts	
120629	.02	Riveting Pin	Cetsp	
120371	.15	WasherFor starting drive shaft, 1/8" thick x 21/4" 0.D	Cetwi	
164422	1.25	Retaining SpringFor starting drive gear 120370	Cetux	
		AT WAYS CIVID "CAMPEDENT IN THE STATE OF THE	Chike	

MASTER FRICTION CLUTCH—GROUP NO. 22

Part No.	Price	Part Name	Code
2306SS	3.25	Flywheel PinDrives clutch ring 1410 SF, steel, case-hardened, 13/4"x21/2"	Caehl
164312	135.00	Master Clutch Assembly Complete with discs, retaining ring, driving hub, shifter and collar	Ceyez
1410SF	15.45	Retaining Ring For master clutch, cast steel, 14½" O.D. x 10½" I.D	Cablo
1631SB	21.50	Friction DiscFor master clutch, center, Phos. Brz., 3/8" thick, drilled 41"	Caali
1632SC	7.40	Friction Disc For master clutch, center cast iron, 14½" 0.D	Caauk
1630SB	21.50	Friction DiscFor master clutch, center, Phos. Brz., 3/8" thick, drilled 35"	Caaja
161924	.35	Special Bolt For master clutch retaining ring, 3/4" turned to 5/8", dr., with nut.	Cewgy
1633SC	6.25	Friction DiscFor master clutch, outer, cast iron, 5%" thick, 14½" 0.D	Caawu
107569	11.75	Friction Disc For master clutch, inner, cast iron, bolts to hub 107570	Capey
107570	14.75	Driving Hub For master clutch, cast iron, $2\frac{1}{4}$ " bore, $8\frac{1}{2}$ " 0.D., hub $8\frac{1}{4}$ " long.	Capgu
165563	.35	Stud BoltFor master clutch driving hub, 3/4"x21/8"	Chywo
107560	4.95	Clutch Shifter For master clutch, cast iron, 37/8" bore x 31/2" long	Caota
164313	9.75	Shifter Ring For master clutch, Phos. Bronze, shifts clutch	Ceyfa
E2698	1.50	Clutch Dog For master clutch, cast steel, 34" holes, 213 center to center	Cieok
1870SS	.20	Pin For master clutch dog, 3/4"x31/8" long, drilled	Cadoj
2537SS	.25	Adjusting ScrewFor master clutch dog, case-hardened head, ½"x1¾" long	Caesa
107558	.35	Clutch Link For master clutch, mild steel, ½"x1½"x3¾", drilled	Caorp
2222SS	.20	PinFor master clutch dog, 3/4"x216" drilled	Cadxe
164314	27.50	Coupling Clutch AssemblyFor master clutch, male half, with keys and pin, 15" long	Ceygo
107578	.20	KeyFor clutch coupling, ½"x½"x7½" long	Caraj
107577	.10	PinFor clutch coupling key 107578, ¼"x3½"	Capyt
107581	.06	Felt Ring For clutch coupling, 1/4 "x15%" I.D x 23/8" 0.D	Cardt
164336	8.50	Brake Ring Assembly For master clutch brake, brake ring lagged	Chahe
6284	2.20	Retaining RingBolts to coupling and gear, 7" O.D	Cagie
7721	.35	WasherFor retaining ring 6284, leather	Caict
107838	1.15	Bracket For master clutch lever, cast iron	Cecyv
107839	.95	SupportFor master clutch lever bracket 107838	Ceczi
107709	6.25	Clutch ForkFor master clutch shift, cast steel	Caxro
107898	.30	Pin For master clutch shifter fork 107709, 3/4"x93/4"	Ceeyc
109227	.25	Spacer	Cepvi
2050SS	.20	PinFastens link to clutch shifter, 3/4"x21/4"	Cadva
AM700		Self Aligning BearingFor end of crank shaft, $1\frac{25}{64}$ " bore x $2\frac{13}{16}$ " 0.DWrite for price	Ciazm

TRANSMISSION CASE AND BEARING CAPS—GROUP NO. 23

Part No.	Price	Pant Name	
164347		Part Name	Code
	435.00	Transmission CaseComplete with caps and shims assembled, all bearings babbitted	Chasu
107557	7.45	Bearing Cap For coupling bearing, babbitted for 41/4" shaft x 43/4" long	Caopi
109149	.03	Shim	Ceoms
109151	.02	ShimFor coupling bearing, .0156" thick x 178" wide x 434" long	Ceotf
109150	.03	ShimFor coupling bearing, .0312" thick x 1½" wide x 434" long	Ceort
165565	.25	Stud Bolt	Chyzi
165566	.30	Stud BoltFor coupling bearing cap, 5%"x41/3" long, with nut	Ciaaw
107563	7.75	Bearing CapFor coupling shaft bearing, babbitted 31/2", 7" long	Caour
109132	.03	Snim For coupling shaft bearing cap, .004" thick x 176" wide x 73/" long	Cenle
109133	.03	Snim	Cenat
109134	.04	ShimFor coupling shaft bearing cap0312" thick x 1 to wide x 734" long	Censi
165564	.45	Stud BoltFor coupling shaft bearing, 5%"x91%" drilled	Chyve
165567	.30	Stud BoltFor coupling shaft bearing, 5%"x43%" drilled	Ciabt
1421SC	5.30	Bearing CapFor steering clutch shaft bearing, babbitted 37% "x3" long	Caaol
E2669	5.50	Bearing CapFor steering clutch shaft bearing, babbitted, 37/"x3" long	Ciein
103069	.03	ShimFor steering clutch shaft bearing, .004" thick x 1116" wide x 3" long	Calwa
3308SR	.03	Shim	Caden
3307SR	.03	Shim	Cadds
165562	.20	Special BoltFor steering clutch shaft bearing, 34"x6", drilled	Chyva
107568	4.25	Bearing Cap For intmed. gear shaft, center, babbitted 4½" x 2¼" long	Capai
109152	.03	ShimFor intmed. gear shaft bearing, .004" thick x 1116" wide x 21/4" 1g.	Ceoyo
3298SR	.03	Snim	Cadab
3297SR	.03	ShimFor intmed. gear shaft bearing, .0312" thick x 116" wide x 21/4" lg.	Cacua
164175	.30	Special BoltFor intmed. gear shaft bearing, 3/4"x61/2" drilled	Cexug
107574	11.50	Bearing CapFor intmed. gear shaft bearing, L.H., babbitted 3"x11" long	Capio
107575	11.50	Bearing CapFor intmed. gear shaft bearing, R.H., babbitted 3"xll" long	Capoa
109155	.05	ShimFor intmed. gear shaft bearing, .004" thick x 1½" wide x 11½" lg.	Ceozp
109156	.04	ShimFor intmed. gear shaft bearing, .0156" thick x 1½" wide x 11½ 1g.	Cepax
109157	.06	ShimFor intmed. gear shaft bearing, .0312" thick x 1½" wide x 11½ " g.	Cepda
M3781	.25	CoverFor transmission center bearing reservoir, $\frac{3}{64}$ "x4½" dia	Cihmo
103055	.20	Felt WasherFor cover M3781	Calus
M3782	.20	Cover For change speed shaft end, 3 "x4" dia	Cihou
103056	.15	Felt WasherFor cover M3782	Colum
			valvy

	TRANSMISSION CASE AND BEARING CAPS—GROUP NO. 23—Continued			
Part No.	Price	Part Name	Code	
164359	2.60	Oil PanFor oil distributing, in transmission case	Chebz	
164934	.25	Stud Bolt Holds transmission case to main frame, \(\frac{1}{8} \) x3\(\frac{1}{4} \) long	Chorc	
165528	.55	Special Bolt Holds transmission case to main frame, \(\frac{5}{8} \text{"x3} \frac{1}{2} " long	Chyab	
160580	.45	Special Bolt Holds transmission case to main frame, 5% "x23%" long	Cevwu	
162647	.60	Special Bolt	Cewun	
		CRANKSHAFT EXTENSION NO. 2—GROUP NO. 24		
164345	46.50	Gear and CouplingPhos. Bronze bushed, 30 teeth, 2" face	Charx	
107934	6.25	Rushing For gear 164345, Phos. Bronze, 2" I.D. x 2½ "0.D. x 6" 10ng	Cefxi	
107625	1.80	Faualizer Plug For coupling, fastens to gear and coupling	Catuy	
2282SS	17.50	Clutch For change speed, steel, case-hardened, 5" 0.D. x 316" long	Caege	
AM1651	48.00	Clutch Gear	Cidop	
1519SB	3.90	Rushing For gear AM1651, Phos. Bronze, $2\frac{1}{16}$ bore x $3\frac{1}{2}$ long	Caart	
120285	.95	Thrust Washer	Cetku	
107589	23.75	Coupling Shaft	Carng	
2347SS	.20	Feather Key	Caeom	
M4931	.02	Riveting Pin	Cijar	
107592	23.50	Revel Pinion For crank shaft extension, 19 teeth, 2½ face	Cartz	
107591	.25	Taper Key Holds pinion 107592 to shaft, \(\frac{1}{2} \) "\(\frac{1} \) "\(\frac{1}{2}	Carpf	
E2377	2.75	Thrust WasherFor crank shaft extension, Phos. Brz., 4" 1.D. X 532" U.D	Ciedz	
M7122	1.90	Thrust WasherFor crank shaft ext., M. S., cs-hd., ¼"x4"x5½"	Ciket	
109188	1.90	Thrust Washer For crank shaft ext., M. S., cs-hd., 1/4"x4"x5 15 slotted	Cepij	
4		CHANGE SPEED COUNTER SHAFT—GROUP NO. 25		
M10103	7.35	Counter Shaft For change speed, 23/8" dia. x 125/8" long	Cilfe	
M12040	.10	Set Screw Holds counter shaft in place, ½"x2", replaced by 120711	CIMO	
120711	.30	Set Screw	Ceuiy	
AM1658	23.00	Sleeve Hub Four change speed shaft, cast steel, Phos. Bronze bushed	Cidya	
3766SB	8.55	Bushing For sleeve hub, Phos. Bronze, 2½ bore x 2½ 0.D. x 8½ 1ong	Caans	
105525	.10	Anchor Stud For bushing 3766 SB, brass, ½" dia. x 5/8" long	Comoz	
1466SS	22.50	GearFor sleeve hub AM1658, 30 teeth, 2" face, 3¾" bore	Cadiz	
2348SS	.20	Taper KeyFor gears 1466SS and 1470SS, 5% "x½"x2"	Caepu	
1470SS	16.50	GearFor sleeve hub AM1658, 24 teeth, 2" face, 33/4" bore	Cadky	

FRICTION STEERING CLUTCH SHAFT—GROUP NO. 26

THE TION STEEMING CECTETI SHAFT—GROOT NO. 20			
Part No.		Part Name	Code
120740	55.00	ShaftFor friction steering clutch, with integral keys, repl. 165536	Ceuys
165536		ShaftFor friction steering clutch, with feather keys, replaced by 120740	Chyfu
107904	17.50	Double Clutch For steering clutch shaft, 5" O.D. x 216" bore x 218" long	Cefaj
31SA	5.85	Shifting RingFor double clutch, two halves bolted together, Phos. Bronze	Caade
107595	38.00	Bevel GearFor steering clutch shaft, forward and reverse, 36 teeth, 21/2" face	Carvo
107603	.90	Washer For bevel gear 107595, 1/8" thick x 21/4" I.D. x 23/4" 0.D	Casbe
164396		Roller Bearing	Cheru
107593	1.35	WasherBetween reverse gear and intermediate pinion, %"x2%"x3%"	Caruh
107829	49.50	Clutch HousingFor steering clutch, for 3" steering clutch	Cecva
120730	49.50	Clutch HousingFor steering clutch, for 31/2" steering clutch	Ceulo
M7122	1.90	Thrust Washer	Ciket
E2377	2.75	Thrust WasherFor clutch housing, Phos. Bronze, To thick x 4" I.D. x 545" 0.D	Ciedz
M4908	17.75	Spur Pinion	Cihyx
105613	.10	KeyFor spur pinion M4908, 38"x58"x276" long	Campa
M4733	2.25	Screw CollarFor clutch housing, 1/2" thick x 33/4" I.D. x 43/4" 0.D	Cihwa
M8788	.04	KeeperFor screw collar M4733, mild steel, 1/4"x1/2"x1/2"	Cilax
M4937	.03	KeeperFor screw collar M4733, mild steel, 1/4"x1/4"x5/4"	Cijki
M4935	.07	Cap ScrewFor screw collar, with keeper M4937, 1/4"x3/4", drilled	Cijjy
164427	11.45	Washer Assembly Inner thrust bearing, comp. with studs, used with 3" face strng cl	Chirv
165600	11.45	Washer Assembly Inner thrust bearing, comp. with studs, used with 3½" face strng cl.	Cianz
3439SS	2.10	Thrust WasherFor inner thrust bearing, 4" thick x 432" I.D. x 678" 0.D	Cafsi
164426	.40	Stud Bolt ½"x5½" with special nut, used with 3" steering clutch	Chiok
165597	.40	Stud Bolt ½"x5½" with special nut, used with 3½" steering clutch	Ciami
2571SS	.20	Special NutFor stud bolt assembly 164426, holds springs in place, 5%" thd	Caewd
120733	.20	Special NutFor stud bolt assembly 165597, holds springs in place, 58" thd	Ceura
3436SS	.01	Dowel PinFor clutch housing, 1/4"x11/3"	Cafot
AM1213	6.50	Ball Bearing AssemblyFor steering clutches, Phos. Bronze, retainer with steel balls.	Ciceo
3426SS	2.65	Bearing WasherFor steering clutches, mild steel, case-hardened and ground	Cafle
103102	5.35	Retaining WasherFor steering clutch housing, threaded, $2\frac{\pi}{32}$ bore x 3% 0.D. x 1½ 1g	Camah
5043SF	15.75	Clutch DriverFor steering clutch, 3 arms, cast steel, 2 to bore, keywayed	Cacae
M4932	.25	Straight Key For clutch driver 5043SF, 5% "x5% "x418" long	Cijbe

		FRICTION STEERING CLUTCH SHAFT—GROUP NO. 26—Continued	
Part No.	Price	Part Name	Code
164342	34.00	Friction Plate AssemblyFor steering clutch, cast iron, lagged, 3" face, 4" bore	Chapa
165596	34.00	Friction Plate Assembly For steering clutch, cast iron, lagged, 31/2" face, 4" bore	Cialf
107936	.35	Spring For steering clutch, 3" long, for 3" face steering clutch	Ceiam
120731	.35	Spring For steering clutch, $3\frac{1}{4}$ " long, for $3\frac{1}{2}$ " face steering clutch	Ceumu
M4732	1.00	WasherFor end of steering clutch shaft, ½" thick, ¾¾" I.D. x 3¾" 0.D	Cihvy
M4933	.40	Cap ScrewFor washer M4732, special, 34"xl½"	Cijiz
M4918	.10	KeeperFor cap screw M4933, mild steel 1/16 x1 x1 x1 x1 x1 x1 x x1 x x1 x x1 x	Cihze
M5639	.05	Cap Screw	Cijno
106389	.15	Cap ScrewFor keeper, 16"x78", drilled head	Cancs
		INTERMEDIATE SHAFT—GROUP NO. 27	
165534	23.65	Shaft AssemblyFor intermediate gear, 3" dia. x 23 18" long, with nut	Chyds
107587	23.25	Shaft	Carld
107588	85.00	Gear	Carmp
107580	.25	Taper Key	Carck
107583	28.00	Pinion	Cariv
107579		Whitney Key	Carbs
164660	.20	Washer Assembly	Chopf
107582	. 40	Nut	Carex
107584	1.95	Thrust CollarFor intermediate shaft, cast iron, 34" thick x 55%" 0.D	Carju
107585	1.30	Thrust Collar For intermediate shaft, $\frac{3}{16}$ " thick x $4\frac{33}{64}$ " I.D. x $6\frac{1}{4}$ " 0.D	Carka
inche 4	The state of	TRACK DRIVE SHAFT—GROUP NO. 28	
107610	78.50	Drive ShaftFor track drive sprocket, nickle steel, 3" dia. x 7' 3½" long	Casiz
107732	24.25	Bearing Cap For track drive shaft, right hand, 20% long, babb. at each end	Cayse
107737	24.25	Bearing Cap For track drive shaft, left hand, 20 % long, babb. at each end	Cayvu
M5933	.15	Shim	Cikan
M5931	.20	Shim	Cijuf
M5932	.25	Shim For track drive shaft bearing, fibre, \(\frac{1}{16}\text{"x20}\frac{7}{16}" long	Cijyw
165580	.40	Stud BoltFor track drive shaft bearing caps, 3/4"x43/8" long	Ciady
3379SM	.60	Gasket Between dust guard and dust guard cover, roofing paper	Cacel
107612	1.65	Thrust Washer For track drive shaft, outside, 1/4 "x316" I.D. x 616" 0.D	Caski
109192	.30	GasketFor thrust washer 107612, seigelite, 1/32"x91/4" dia	Cepog
225 3 SS	8.75	Cover	Caeat
D 10		AT WAYS GIVE "CAMEDDITY AD" MDACMOD WYMEDD WYMDY ODDDDWG DDDAYD	

TRACK DRIVE SHAFT—GROUP NO. 28—Continued

-		TRACK DRIVE SHAFT—GROUP NO. 25—Continued	
Part No.	Price	Part Name	Code
3716SS	8.75	CoverFor drive gear dust guard, mild steel, L.H., 3 thick x 2' 31/4" dia.	Cafuo
107616	.08	Dowel PinFor dust covers 2253SS and 3716SS, 16 "x 16 10 long	Castu
164338	350.00	Track Drive AssemblyRight hand, sprocket, hub and spider, ring gear and bolts	Chaks
164339	350.00	Track Drive AssemblyLeft hand, sprocket, hub and spider, ring gear and bolts	Chali
107551	87.50	Hub and SpiderFor final drive gear	Caony
107564	125.00	Ring Gear For final drive, 33/4" face, 24" 0.D., 58 teeth	Caowl
165511	.45	Special BoltFor holding ring gear 107564 to spider. 3/"x23/" long	Chue,i
165535	47.00	HubFor final drive sprocket, 23½" 0.D., with 6" hub	Chyen
107604	.25	Straight KeyFor sprocket hub 165535, 5% "x34"x6" long	Cashs
107826	32.00	Ring SprocketFor track drive, cast iron, bolts to hub 165535	Cecky
165512	.75	Special BoltFastens sprocket 107826 to hub 165535, 7/8"x3" long	Chuga
164340	41.50	Dust Guard AssemblyFor final drive gear, cast iron, with flange riveted on, right hand	Chanp
164341	41.50	Dust Guard Assembly For final drive gear, cast iron, with flange riveted on, left hand.	Chaoz
108872	6.50	Dust Washer And hub spacer, cast iron, 87 bore x 478 long	Celai
107840	.35	Felt Ring	Cedag
107612	1.65	Thrust Ring	Caski
107616	.08	Dowel PinFor thrust washer 107612, 36 x16 long	Castu
107852	.60	Felt WasherFor bearing 107619, 5%"x5½" I.D. x 7" 0.D	Cedeh
107619	9.75	Bearing For thrust rod, rear, cast iron	Casyw
165579	1.65	Stud BoltFor end of track drive shaft, 14"x3%" long	Ciach
107596	.10	Dowel PinFor stud bolt in end of drive shaft. %"x16" long	Carwe
6918	.95	Dust CapFor end of drive shaft, galv. sheet iron	Cahej
107933	.10	ShimFor dust cap 6918, roofing paper	Cefwe
107602	.95	Washer For end of shaft, 3/8" thick x 13/2" I.D. x 31/2" 0.D	Casar
109160	.95	NutFor locking stud bolt, 11/4" thread	Cepfe
107611	2.10	Thrust WasherGear end of hub, inside, 1/1" thick x 33/1" I.D. x 7" 0.D.	Casjy
107615	.10	Dowel PinFor washer 107611, 16 "x18" long	Casod
164395		Roller Bearing For gear hub and spider 107551. Hyatt Write for price	Cheog
107599	2.95	SpacerFor roller bearing, cast iron, 45 long	Caryb
107601	.85	Spacer For roller bearing, black iron pipe, 3" dia. x $4\frac{7}{64}$ " long	Carzy

ALWAYS GIVE "CATERPILLAR" TRACTOR NUMBER WHEN ORDERING REPAIRS

FINAL DRIVE GEAR DUST GUARD—GROUP NO. 29

164340	Don't No. I	Price	Part Name	Code
107620	Part No.		For final drive year with flange riveted on, right hand	Chanp
164341 41.50 Dust Guard Assembly For final drive gear, with flange riveted on, left hand Clat			Dust Guard Assembly For final drive gear, cast iron guard only right hand	Catao
107621 21.45 Dust Guard For final drive gear, cast fron, guard only, lett hand. Cap			Dust Guard For final drive gear, with flange riveted on, left hand	Chaoz
107618			Dust Guard Assembly For final drive gear, while I land only left hand	Catia
TRANSMISSION GEAR CASE COVER_GROUP NO. 30			Dust Guard	Cepru
TRANSMISSION GEAR CASE COVER—GROUP NO. 30			Gasket	Casuf
107622 69.50 Cover. For transmission gear case, cast iron. Cate Cat	107618	18.60		
107622 69.50 Cover			TRANSMISSION GEAR CASE COVER—GROUP NO. 30	Coton
107749 1.5	107622	69.50	CoverFor transmission gear case, cast iron	
107749 1.5	164325	2.25	Shaft AssemblyFor reverse and change speed shifter, with keys, 1 dia. x5 % 1g	Ceyuj
107718		.15	Feather Key For reverse and change speed shifter shaft, 3%"x36"x52"	Ceaby
107752 4.35		4.95	Shifter Fork For change speed shifter, cast steel	
1.45	AND THE RESERVE OF THE PARTY OF	4.35	Shifter Fork For reverse clutch, malleable iron	
1423SS .60		1.45	Clamp Collar For shifter shaft	
107719		.60	Bushing For shifter shaft, 116" bore x 1½" 0.D. x 338" long	
2309SS		2.50	Shifting Lever	
Mil894 .04 Lock Spring For shifting lever lock pin, 2½" long Cada C			lock Pin For shifting lever, ½" dia. x 2" long, with ball point	
2235SS 1.65 Collar For shifter shaft, 107720, 1½" bore x 2½" long Cady 2220SS 20 Pin For collar and lever, 3½" c. to c. of holes, 5½" x 4½" long Cady 109223 10 Taper Key For collar 2235SS, ½"x½"x½"x½" 10ng, 6½" length over all Ceady 107753 2.85 Bracket For brake bell crank, ½" thread, 1½" long, 6½" length over all Ceady 107722 50 Cap Screw For seat support bracket, 1"x4½" long Cedy 107722 50 Pin For steering clutch levers, 1½"x7½" long Cay 2308SS 70 Special Screw For lock pin, ½" bore x ½" 0.D Cae 2310SS 10 Spring For lock pin, 7 coils, ½" 0.D Cae 2310SS 10 Spring For lock pin, 7 coils, ½" bore x ½" 0.D Cae 2310SS 10 Spring For lock pin, 7 coils, ½" long Cay 2308SS Cover For power pulley gear drive bearing, cast iron Ceby 107795 3.75 Cover For gear case cover, with filler cap, pin and oil screen Ceby 107795 3.75 Cover For gear case cover, cast iron Ceby 107795 3.85 Screen For oil filler, brass screen, in cover 107795 Cal 23107787 2.60 Cover For power pulley housing extension, cast iron Ceby 2325 Cover For power pulley housing extension, cast iron Ceby 2325 Cover For power pulley housing extension, cast iron Ceby 2325 Cover For power pulley housing extension, cast iron Ceby 2325 Cover For power pulley housing extension, cast iron Ceby 2325 Ceby 2325 Cover For power pulley housing extension, cast iron Ceby 2325 Ceby 2325 Cover For power pulley housing extension, cast iron Ceby 2325		.04	Lock SpringFor shifting lever lock pin, 2½" long	
2220SS 20			Collar For shifter shaft, 107720, 116 bore x 2 16 long	
109223 10		.20	Pin	
107748			Tener Key For collar 2235SS, 3%"x3%"x116"	Cepuw
107753		.80	Stud	Ceaaz
107854			BracketFor operator's seat support	Ceaep
107722 .50 Pin	The state of the s		Cap ScrewFor seat support bracket, 1"x41/4" long	Cedin
2308SS .70 Special Screw. For lock pin, ½¼" bore x ½%" 0.D. Cae. 2310SS .10 Spring. For lock pin, 7 coils, ⅙" 0.D. x 1⅙" long. Cae. 107780 2.75 Cover. For power pulley gear drive bearing, cast iron. Ceb. 164326 7.25 Cover Assembly. For gear case cover, with filler cap, pin and oil screen. Cey. 107795 3.75 Cover. For gear case cover, cast iron. Ceci. 164327 1.35 Filler Cap Assembly. For cover, 107795, cap and spring. Chai. 60529 3.85 Screen. For oil filler, brass screen, in cover 107795. Cal. 107746 20 Gasket. For cover 107795, seigelite, ⅓"x5"x12". Caz. 107787 2.60 Cover. For power pulley housing extension, cast iron. Cebs.	The Part of the Pa	.50	PinFor steering clutch levers, 116"x778" long	Caylf
2310SS .10 Spring		.70	Special ScrewFor lock pin, 44" bore x 78" 0.D	Caely
107780 2.75 Cover For power pulley gear drive bearing, cast iron. Cebt 164326 7.25 Cover Assembly. For gear case cover, with filler cap, pin and oil screen. Cey 107795 3.75 Cover. For gear case cover, cast iron. Cect 164327 1.35 Filler Cap Assembly. For cover, 107795, cap and spring. Chal 60529 3.85 Screen. For oil filler, brass screen, in cover 107795. Cal 107746 20 Gasket. For cover 107795, seigelite, 32"x5"x12". Caz 107787 2.60 Cover. For power pulley housing extension, cast iron. Cebs			Spring For lock pin, 7 coils, Te" 0.D. x 15 long	Caeno
164326 7.25 Cover Assembly. For gear case cover, with filler cap, pin and oil screen. Ceys 107795 3.75 Cover. For gear case cover, cast iron. Ceci 164327 1.35 Filler Cap Assembly. For cover, 107795, cap and spring. Chal 60529 3.85 Screen. For oil filler, brass screen, in cover 107795. Cal 107746 .20 Gasket. For cover 107795, seigelite, \(\frac{3}{2} \) "x5"x12". Caz 107787 2.60 Cover. For power pulley housing extension, cast iron. Cebs			Cover For power pulley gear drive bearing, cast iron	Cebal
107795 3.75 Cover For gear case cover, cast iron Cect 164327 1.35 Filler Cap Assembly For cover, 107795, cap and spring Chall 60529 3.85 Screen For oil filler, brass screen, in cover 107795 Cal: 107746 .20 Gasket For cover 107795, seigelite, 32"x5"x12" Caz 107787 2.60 Cover For power pulley housing extension, cast iron Cebs			Cover Assembly For gear case cover, with filler cap, pin and oil screen	Ceyxu
164327 1.35 Filler Cap Assembly			CoverFor gear case cover, cast iron	Ceciu
60529 3.85 Screen	A STATE OF THE STA		Filler Cap Assembly For cover, 107795, cap and spring	Chabo
107746 .20 Gasket			Screen For oil filler, brass screen, in cover 107795	Calin
107787 2.60 Cover			Gasket	Cazye
1 // 1			Cover For power pulley housing extension, cast iron	Cebsu
107997 .10 GasketFor cover 107787, roofing paper			Gasket For cover 107787, roofing paper	Cejev

Part No. Price Part Name Code 165582 .35 Stud Bolt For cover, %"x35%" long. Ciags 165583 .30 Stud Bolt For cover, %"x25%" long. Ciags Ci			TRANSMISSION GEAR CASE COVER—GROUP NO. 30—Continued	-
165583 30 Stud Bolt For cover, %"x25%" long. Ciahn 107935 25 Pin. For belt drive shifter opening, 34"x2½" Cebvl 109145 30 Shim. Between gear case and cover, %"x25¼", seigelite. Ceolk 109144 35 Shim. Between gear case and cover, %"x25¼", seigelite. Cenuo	Part No.	Price	Part Name	Code
109145	165582	.35	Stud BoltFor cover, 7%"x35%" long	Ciags
109145	165583	.30	Stud Bolt	Ciahn
109144 .35 Shim	107935	.25	Pin	Cehvl
FRICTION STEERING CLUTCH SHIFTER—GROUP NO. 31 164351 10.85 Shifter Collar	109145	.30	ShimBetween gear case and cover, 32"x2334", seigelite	Ceolk
10.85	109144	.35	Shim Between gear case and cover, 32"x247%", seigelite	Cenuo
M12069 2.20 Thrust Washer. For shifter collar, %2" thick x 5½" I.D. x 7¼" 0.D. Cimps E2645 5.75 Shifting Ring. For steering clutch shifter, Phos. Bronze, 85%" I.D. x 7%" thick. Cieft M5859 15 Dowel Pin. For steering clutch shifter, %x * long. Cijtu AM1212 7.25 Thrust Bearing. For steering clutch shifter, 5½" I.D. x 7½" 0.D., with %" balls. Cibyi M8781 2.30 Thrust Washer. For steering clutch shifter, ½" thick x 4½" bore x 7½" 0.D. Cikys 105616 4.75 Retaining Washer. For steering clutch shifter, ¾" thick, 7½" 0.D. threaded. Camsu M5642 .05 Keeper. For retaining washer lob5616, %"x½"x1½" .01, otherwise Cijod M5639 .05 Cap Screw. For retaining washer keeper, ½"x½", drilled head. Cijno M4619 .95 End Cover. For steering clutch shifting ring, galv. iron, 9%" 0.D. Cihti M6620 .40 Felt Washer. For steering clutch shifting, cast steel. Cided 160575 .60 Cap Screw. For steering clutch shifting, cast steel. Cied Cevuk Cap Screw. For steering clutch shift from, ½"x2½", end turned 10½" with nut Cevuk Stilss .45 Pin. For shifting for, ½"x1½" long. Chadi Cap Screw. For steering clutch, left land, lagged. Chadi Cap Screw. For steering clutch, left land, lagged. Chadi Cap Screw. For steering clutch br.k. band, %1"x2½" x2½" ali 1g. Write for price Celm 7252 2.70 Brake Band. For steering clutch br.k. band, %1"x2½"x2½" ali 1g. Write for price Celm 7252 2.70 Bracket. For steering clutch br.k. band, %1"x2½"x2½" ali 1g. Write for price Celm 7252 2.70 Bracket. For steering clutch brake rod adjustment, drop forged. Cahud 7244 .45 Adjusting Rod. For steering clutch brake adjustment, drop forged. Cahud 7244 .45 Adjusting Rod. For steering clutch brake adjusting rod, ½"x½" Cesou 7217 1.05 Adjusting Nut. For steering clutch brake adjusting rod, ½"x½" Cesou 7210 3.80 Bell Crank. For steering clutch brake, ½"x1¾" Cesou Cahva 726			FRICTION STEERING CLUTCH SHIFTER—GROUP NO. 31	Sus lu
E2645 5.75 Shifting Ring. For steering clutch shifter, Phos. Bronze, 85%" I.D. x 7%" thick. Cieft M5859 15 Dowel Pin. For steering clutch shifter, ½" x 1½" long. Cijtu AM1212 7.25 Thrust Bearing. For steering clutch shifter, 5½" I.D. x 7½" 0.D., with ½" balls. Cibyi M8781 2.30 Thrust Washer For thrust bearing, ½" thick x 4½" bore x 7½" 0.D., with ½" balls. Cibyi M8781 2.30 Thrust Washer For steering clutch shifter, ¾" thick, 7½" 0.D., threaded. Camsu M5642 0.5 Keeper. For retaining washer 105616, ½"x½"x½", drilled head. Cijod M6639 0.5 Cap Screw. For retaining washer keeper, ½"x½", drilled head. Cijno M4619 95 End Cover. For steering clutch shifting ring, galv. iron, 9½" 0.D. Cihti M4620 4.0 Felt Washer For steering clutch shifting ring, galv. iron, 9½" 0.D. Cihus 107947 7.25 Shifter Fork. For steering clutch shifting, cast steel. Ceied 160575 6.0 Cap Screw. For steering clutch shifting, cast steel. Ceied 160575 6.0 Cap Screw. For steering clutch shift fork, ¾"x2¾", end turned 10½" with nut 160515 Cap Screw. For steering clutch shift fork, ¾"x2¾", end turned 10½" with nut 160515 Cap Screw. For steering clutch shift fork, ¾"x2¾", end turned 10½" with nut 160575 Cap Screw. For steering clutch shift fork, ¾"x2¾", end turned 10½" with nut 160575 Cap Screw. For steering clutch shift fork, ¾"x2¾", end turned 10½" with nut 160575 Cap Screw. For steering clutch shift fork, ¾"x2¾" and turned 10½" with nut 160575 Cap Screw. For steering clutch shift fork, ¾"x2¾" and turned 10½" with nut 160575 Cap Screw. For steering clutch brake for adjustment, drop forged. Chadi 164330 7.75 Brake Band. For steering clutch brake rod adjustment, drop forged. Cahud 7244 45 Adjusting Rod. For steering clutch brake band relief. Calec 109253 Cop Spacer. For steering clutch brake adjusting rod, ½"x½%" Cemel 109253 Cop Spacer. For steering clutch brake rod, cast iron Cahea 108996 Cab Pin.	164351	10.85	Shifter CollarFor steering clutch shifter, collar and thrust washer	Cheax
M5859 .15	M12069	2.20		Cimps
## AM1212 7.25 Thrust Bearing	E2645	5.75	Shifting Ring For steering clutch shifter, Phos. Bronze, $8\frac{1}{2}$ I.D. x $\frac{7}{8}$ thick	Cieft
M8781 2.30 Thrust Washer	M5859	.15		Cijtu
105616	AM1212	7.25	Thrust Bearing For steering clutch shifter, $5\frac{1}{2}$ " I.D. x $7\frac{1}{2}$ " 0.D., with $\frac{7}{16}$ " balls.	Cibyi
M5642 .05 Keeper. For retaining washer 105616, %"x½"x1½". Cijod M5639 .05 Cap Screw. For retaining washer keeper, ¼"x½", drilled head. Cijno M4619 .95 End Cover. For steering clutch shifting ring, galv. iron, 9%" 0.D. Cihti M4620 .40 Felt Washer. For steering clutch shifting ring, ½" thick x 9%" 0.D. Cihtis 107947 7.25 Shifter Fork. For steering clutch shifting, cast steel. Ceied 160575 .60 Cap Screw. For steering clutch shift fork, ¾"x2½", end turned 10½" with nut Cevuk 2511SS .45 Pin. For shifting fork, ¾"x19¾" long. Caeri FRICTION STEERING CLUTCH BRAKE—GROUP NO. 32	M8781	2.30	Thrust Washer	Cikys
M5639	105616	4.75		Camsu
M4619 .95 End Cover	M5642	.05		Cijod
M4620 .40 Felt Washer .For steering clutch shifting ring, ½%" thick x 9½%" 0.D Cihus 107947 7.25 Shifter Fork For steering clutch shifting, cast steel Ceied 160575 60 Cap Screw For steering clutch shift fork, ¾"x2½", end turned 10½%" with nut 2511SS .45 Pin For shifting fork, ¾"x19½" long Caeri FRICTION STEERING CLUTCH BRAKE—GROUP NO. 32	M5639	.05		Cijno
107947 7.25 Shifter Fork For steering clutch shifting, cast steel Ceied 160575 Ceied Cap Screw For steering clutch shift fork, 34"x2½", end turned 105% with nut Cevuk 2511SS A5 Pin For shifting fork, 34"x19½" long Caeri FRICTION STEERING CLUTCH BRAKE—GROUP NO. 32	M4619	.95		Cihti
160575	M4620	.40		Cihus
FRICTION STEERING CLUTCH BRAKE—GROUP NO. 32	107947	7.25		
FRICTION STEERING CLUTCH BRAKE—GROUP NO. 32 164329 7.75 Brake Band. For steering clutch, left land, lagged. Chadi 164330 7.75 Brake Band. For steering clutch, right hand, lagged. Chaeb 107882 Gandy Lagging. For steering clutch brk. band, \(\frac{3}{16}\)\"\x2\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	160575	.60		Cevuk
164329 7.75 Brake Band. For steering clutch, left land, lagged. Chadi	2511SS	.45	PinFor shifting fork, 3/4"x191/4" long	Caeri
164330 7.75 Brake Band For steering clutch, right hand, lagged Chaeb 107882 Candy Lagging For steering clutch brk. band, \(\frac{1}{16}\)\"x2\(\frac{3}{16}\)\" 1g \text{. Write for price Ceelm region} \) 7252 2.70 Bracket For steering clutch brake rod adjustment, drop forged Cahud region			FRICTION STEERING CLUTCH BRAKE—GROUP NO. 32	
107882 Gandy Lagging. For steering clutch brk. band, \(\frac{7}{16}\)\"x2\frac{3}{4}\"x2\'\ 3\frac{16}{6}\"\ 1g\). Write for price Ceelm 7252 2.70 Bracket. For steering clutch brake rod adjustment, drop forged. Cahud 7244 .45 Adjusting Rod. For steering clutch brakes, \(7\frac{7}{2}\)\"\ long, \(5\frac{1}{4}\)\"\ of thread. Cahox 15341 .10 Spring. For steering clutch brake band relief. Calec 109253 .07 Spacer. For steering clutch brake adjusting rod, \(\frac{1}{2}\)\"\x5\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	164329	7.75	Brake BandFor steering clutch, left land, lagged	Chadi
72522.70BracketFor steering clutch brake rod adjustment, drop forgedCahud7244.45Adjusting RodFor steering clutch brakes, 7½" long, 5½" of threadCahox15341.10SpringFor steering clutch brake band reliefCalec109253.07SpacerFor steering clutch brake adjusting rod, ½"x5%"Cesou72171.05Adjusting NutFor steering clutch brake rod, cast ironCahga108996.25PinFor steering clutch brake, ½"x18¼"Cemel72603.80Bell CrankFor steering clutch brakes, drop forgedCahve	164330	7.75		
7244 .45 Adjusting Rod. For steering clutch brakes, 7½" long, 5¼" of thread. Cahox 15341 .10 Spring. For steering clutch brake band relief. Calec 109253 .07 Spacer. For steering clutch brake adjusting rod, ½"x5%" Cesou 7217 1.05 Adjusting Nut. For steering clutch brake rod, cast iron. Cahga 108996 .25 Pin. For steering clutch brake, ½"x1¾¾" Cemel 7260 3.80 Bell Crank. For steering clutch brakes, drop forged. Cahve				Ceelm
15341 .10 Spring. For steering clutch brake band relief. Calec 109253 .07 Spacer. For steering clutch brake adjusting rod, ½"x5%". Cesou 7217 1.05 Adjusting Nut. For steering clutch brake rod, cast iron. Cahga 108996 .25 Pin. For steering clutch brake, ½"x1%4". Cemel 7260 3.80 Bell Crank. For steering clutch brakes, drop forged. Cahve	7252	2.70		Cahud
109253 .07 Spacer For steering clutch brake adjusting rod, ½"x¾" Cesou 7217 1.05 Adjusting Nut For steering clutch brake rod, cast iron Cahga 108996 .25 Pin For steering clutch brake, ½"x1¾¼" Cemel 7260 3.80 Bell Crank For steering clutch brakes, drop forged Cahve	7244	.45	Adjusting RodFor steering clutch brakes, 7½" long, 5½" of thread	Cahox
7217 1.05 Adjusting Nut For steering clutch brake rod, cast iron Cahga 108996 .25 Pin For steering clutch brake, ½"x1%4" Cemel 7260 3.80 Bell Crank For steering clutch brakes, drop forged Cahve	15341	.10		
108996 .25 Pin	109253	.07		
7260 3.80 Bell Crank For steering clutch brakes, drop forged Cahve	7217	1.05		
	108996	.25		
107754 .02 Washer For steering clutch brakes, \(\frac{13}{16}\)" I.D x \(\frac{17}{4}\)" 0.D Ceafk	7260	3.80		Cahve
	107754	.02	WasherFor steering clutch brakes, 18 I.D x 11/4 0.D	Ceafk

		FRICTION STEERING CLUTCH BRAKE CONTROL—GROUP NO. 33	
Part No.	Price	Part Name	Code
164337	6.50	Lever Assembly For side friction steering clutches, lever, eye bolts, and rod ends	Chaif
107767	3.25	Lever For side friction steering clutch, cast steel	Ceayj
162747	.65	Eye Bolt	Cexef
165538	.95	Eye BoltFor steering clutch lever, 233/8" to center of hole, 31/4" of 3/4 thread	Chyky
103077	1.30	Rod End For steering clutch lever eye bolts, jewel steel, 3/4" thread	Calyx
M12244	.15	PinFor eye bolts, ½"x2¼" long	Cimsh
107724	.40	Retaining Washer	Cayoc
2557SS	.15	PinFor eye bolts to fork, ½"x25/8"	Caeug
165537	2.50	Adjusting Rod For steering control, 3/4"x26" long, with nuts	Chyix
103077	1.30	Rod End For steering control adjusting rod, 34" thread	Calyx
107781	7.75	BracketFor steering post, cast iron	Cebeb
164316	2.65	Column AssemblyFor steering control, Phos. Bronze bushed	Ceyhy
108946	1.80	Bushing For steering control column, Phos. Bronze, $1\frac{7}{16}$ 0.D. x $1\frac{1}{4}$ long.	Celio
10425	2.70	Control BracketFor steering control column, malleable	Caiku
107743	.40	Rod For throttle and spark control lever, 3/8"x26"	Cazoy
6801	1.35	LeverFor spark, malleable	Cagyo
7290	1.65	LeverFor throttle, malleable	Caiav
7234	2.15	LeverFor throttle control	Cahiw
7232	1.65	LeverFor spark advance	Cahhi
6802	.20	Spider For spark and throttle levers	Cahap
8771	.02	WasherFibre, 32"x38"x2"	Caiew
107742	1.75	Shaft For steering column, 1"x2711 long	Cazeo
107717	2.95	Lever For steering control, 18 bore, cast steel	Caygs
107770	7.50	Lever Steering control clutch hand lever	Ceazo
107860	.35	NutFor steering control shaft	Cedso
29 10 L		STEERING BRAKE CONTROL—GROUP NO. 34	
164328	18.75	Shaft AssemblyFor steering clutch brakes, shaft, ped., brack., rocker arm and pin	
107741	1.25	ShaftFor steering clutch brakes, 1"x2' 8"	Cayxa
107716	7.95	Lever For foot pedal, steering clutch brake, drop forged	Cayev
6747	1.05	Foot PedalFor steering clutch brakes, drop forged	Cagoi
108995	.20	Pin	Cemae
107676	2.75	Lever BracketFor steering clutch brake shaft, cast iron	Cavul
7262	5.90	Rocker Arm For steering clutch brake lever, drop forged	Cahxy

		STEERING BRAKE CONTROL—GROUP NO. 34—Continued	
Part No.	Price	Part Name	Code
7273	4.70	Pedal LeverFor steering clutch brake pedal, drop forged	Cahyg
8963	1.00	CollarFor steering control post, ½"x2"	Caije
109276	2.40	Pedal PadFor steering clutch brake pedal, drop forged	Cesyi
107723	.25	Control RodFor steering clutch brake, left hand, 1/2 "x14" long	Caymi
108800	.25	Control RodFor steering clutch brake, right hand, ½"x16" long	Cekuf
6813	.70	Rod EndFor steering clutch brake rods, ½" thread	Cahco
108996	.25	PinConnects rod to bell, crank, ½"xl37"	Cemel
		TRUCK FRAME—GROUP NO. 35	
AM713	33.50	Top Plate AssemblyFor truck frame, right hand, rear, plate and channel	Cibao
AM714	33.50	Top Plate AssemblyFor truck frame, left hand, rear, plate and channel	Cibia
M10777	12.85	Top PlateFor truck frame, plate only, right or left hand	Cimap
2840SS	5.75	Channel	Cafay
2839SS	5.75	Channel	Caeyr
M7513	5.75	ChannelFor truck frame, inside, left hand, 6" channel, 2' 8" long	Cikmu
M7514	5.75	ChannelFor truck frame, outside, left hand, 6" channel, 2' 8" long	Cikoe
		TRUCK FRAME ASSEMBLY—FRONT—RIGHT AND LEFT—GROUP NO. 36	
M10774	14.50	Top PlateFor front truck frame, right or left hand	Cilyl
2842SS	7.25	Channel For front truck frame, inside, right hand, 6" channel, 3' 4" long	
2841SS	7.25	Channel	
M7511	7.25	Channel For front truck frame, inside, left hand, 6" channel, 3' 4" long	Cikiy
M7512	7.25	Channel	Ciklo
E2787	8.00	HingeFor roller frame, cast steel	Ciety
E2786	8.50	HingeFor roller frame, cast steel	Cieso
107993	2.60	Bracket	Cejdy
4313SS	4.45	GudgeonFor truck wheel, cold rolled steel, heat treated, 115 x16 16 long.	Cagau
162411	26.50	Truck Wheel AssemblyCast iron, Phos. Bronze bushed, with dust washers	Cewji
1501SB	3.15	Bushing For truck wheel, Phos. Bronze, 115" bore x 3½" long	Caaeg
105301	.40	Dust WasherFor truck wheel, 216" bore x 338" 0.D	Camhe
105748	.15	Felt Washer	Camuv
2536SF	1.25	Dust CollarFor truck wheel, cast steel	Cabmu
106334	.75	GuardFor truck wheel gudgeon oil cup, 1/8 "x41/6" "x65/8"	
1394SF	6.90	HingeFor truck frame, female, cast steel, bored for 216" shaft	Cabiy
1537SC	.95	Bracket	Caarz
1393SF	6.40	Hinge For truck frame, male, cast steel, bored for 236 shaft	Cabet

THE HOLT MANUFACTURING COMPANY CLASSIFIED LIST			
Dont No I		UCK FRAME ASSEMBLY—FRONT—RIGHT AND LEFT—GROUP NO. 36—Continued Part Name	Code
Part No.	Price		
3636SF	6.50	Bracket	Cabra
3637SF	6.50	Bracket	Chuhi
165513	.45	Special BoltFor truck wheel gudgeon bracket, 5% "xl7%"	Chuiw
165514	.45	Special BoltFor truck wheel gudgeon bracket, 5% "x2"	Cewya
162687	.55	Special BoltFor truck frame roller hinge, 34"x21/4"	Cexyr
164221	.55	Special BoltFor truck frame roller hinge, 34"x2½"	Cewne
162487	.60	Special BoltFor truck frame roller hinge, 34"x314"	Caciu
2533SR	.15	WasherFor truck wheel gudgeon, 1/18"x2"x3" 0.D	Camks
105315	.09	Shim	
106794	.06	Shim	Canem
105311	.07	Shim	and the same of th
106793	.05	Shim	Canda
		REAR THRUST ROD—GROUP NO. 37	
1431SC	.65	Bracket For rear thrust rod, 15/8" socket for rod, cast iron	
4405SS	1.65	Thrust Rod	
105921	.20	Spacer	
109262	.06	ShimFor thrust rod bearing, \(\frac{1}{16}\)"xl\(\frac{7}{16}\)" dia	Cesuy
		PIVOT SHAFT—GROUP NO. 38	
M10438	14.50	Pivot ShaftOr coupling shaft, for truck frames, 23 x7' 8½"	
E2785	7.50	Radial Arm For truck frame, steel, 13% c. to c. of holes	
M8001	.85	PinFor radial arm E2785, cold rolled steel, heat treated, 148"	
E2593	2.65	Bracket	
E2665	3.85	BracketFor center radial arm E2785, cast steel, $1\frac{7}{16}$ " bore	Ciehu
AND STATE	· · · · · · · · · · · · · · · · · · ·	TRACK CARRIER ROLLERS—GROUP NO. 39	SECTUL
AM779	6.50	Roller AssemblyFor track carrier, front, bracket, rollers and gudgeon	
E2696	2.55	BracketFor front track carrier roller, cast iron	
164952	.45	Stud BoltOr gudgeon, for track carrier roller assembly	Chovo
E2694	.25	Space BlockFor track carrier roller assembly, 11/6" bore x 11/4" 0.D. x 3" long.	Cielp
E2693	1.45	RollerFor track carrier, chilled face, 5½" 0.D	Cieke
AM778	6.75	Roller Assembly For track carrier, rear, bracket, rollers and gudgeon	Cibou
E2697	2.80	BracketFor rear track carrier roller, cast iron	Cienx
120634	.95	Dust CoverFor rear spring bracket, L.H., 16"xl0½"xll", sheet iron	Cetym
120633	.95	Dust CoverFor rear spring bracket, R.H., \frac{1}{16}"xl0\frac{1}{2}"xll", sheet iron	Cetxo
Page 24		ALWAYS GIVE "CATERPILLAR" TRACTOR NUMBER WHEN ORDERING REPAIRS	31021

		DRAW BAR—GROUP NO. 40		
Part No.	Price	Part Name	Code	
107733	14.75	Draw BarMild steel, 1"x4"x4" 2", bent U shape	Cayup	
107863	7.80	BracketFor swinging draw bar, steel	Cedub	
165581	.45	Stud BoltFor draw bar ¾"x5¾" long	Ciaev	
107862	9.75	Draw BarSwinging, cast steel, 3"x291/8" long	Cedty	
107987	.70	Pin For draw bar, 11/4"x316" long	Cejaw	
		OPERATOR'S SEAT—GROUP NO. 41		
164453	13.95	Seat AssemblyFor operator, less cushion, with base 107758 and pivot 107783	Chodt	
164452	8.95	Seat AssemblyFor operator, less cushion, less base 107758, less pivot 107783	Chock	
107758	2.50	Base For operator's seat, cast iron	Ceaos	
107783	.95	Pivot For operator's seat, 13/4 "x41/4"	Cebif	
164226	5.25	CushionFor operator's seat	Ceyac	
		FRONT IDLER—GROUP NO. 42	No. of the last	
2232SS	5.85	ShaftFor front idler, cold rolled steel, case-hardened, 23 "x151/8" long	Cadyv	
164348	76.00	Idler Or blank sprocket, cast steel, Phos. Bronze bushed	Chauv	
B315	8.65	Bushing Floating, for idler, Phos. Bronze, $2\frac{3}{16}$ " bore x $6\frac{3}{32}$ " long	Cieag	
M8875	.20	Washer For front idler shaft, $\frac{1}{8}$ " thick x $2\frac{3}{16}$ " bore x 4" 0.D	Cilda	
M8874	.45	Washer For front idler shaft, $\frac{1}{4}$ " thick x $2\frac{3}{16}$ " bore x 4" 0.D	Cilcs	
5023SF	21.75	Fork For front idler, cast steel, bored for 23 shaft	Cabui	
5024SF	.95	Clamp For front idler fork, cast steel, %" thick x 2 16 wide x 6 1/4 long	Cabys	
105285	.20	Bolt For front idler clamp, 5/8"x5", drilled for cotter key		
160583	3.25	Thrust RodFor front idler fork, mild steel, 13/4"x16", with nuts	Cewal	
		FRONT CROSS TIE ROD—GROUP NO. 43		
2565SS	.30	Pin For front cross tie rod, 1" dia. x 3¾" long	Caevs	
104962	3.25	Tie RodFor truck frame, mild steel, 34"x1½"x17" long	Cambo	
104964	6.60	Tie RodFor truck frames, angle iron, 3/8"x2"x2"x393 16 long	Camdi	
REAR CROSS TIE ROD—GROUP NO. 44				
2565SS	.30	Pin For rear cross tie rod, 1" dia. x 3¾" long	Caevs	
104962	3.25	Tie RodFor truck frames, mild steel, 34"x1½"x17" long	Cambo	
104963	6.60	Tie RodFor truck frames, angle iron, 3/8"x2"x4232" long	Camcy	

		TRUCK SPRING—GROUP NO. 45	
Part No.	Price	Part Name	Code
107774	8.25	Spring Seat For truck springs, double, rear, cast steel	Cebbo
107775	8.25	Spring SeatFor truck springs, double, front, cast steel	Cebcy
1391SF	4.95	Spring SeatFor truck spring, single, cast steel	Caban
1899SS	2.00	Spring For trucks, outer spring	Cadth
1900SS	.90	Spring For trucks, inner or core spring	Caduc
162077	.35	BoltFor truck spring, 7/8"x91/2" drilled	Cewis
		FENDER—GROUP NO. 46	
164425	8.25	Fender AssemblyRight hand, rear	Chinx
164424	8.25	Fender Assembly Left hand, rear	Chilp
		ENGINE HOOD—GROUP NO. 47	
164388	16.25	Cover AssemblyFor engine	Chenf
164386	3.60	DoorFor engine hood, lower, right hand	Chelc
164387	3.60	DoorFor engine hood, lower, left hand	Chemb
164384	4.65	CoverFor engine hood, lower, right hand	Chefe
164385	4.65	CoverFor engine hood, lower, left hand	Cheij
		FUEL TANK—GROUP NO. 48	
164303	57.50	TankFor fuel, complete with flanges	
107789	11.25	SupportFor fuel tank, cast iron	Cebyn
107788	14.50	Tank and SupportFor track oil, supports fuel tank, cast iron	Cebuv
107782	.35	PadFor fuel tank, felt, 3/8"x41/2"x15" long	Cebhe
AM126		Vacuum SystemWrite for price	Ciavu
		AIR CLARIFIER—GROUP NO. 49	
164290	18.00	ClarifierFor air, Pomona 2½"	
109289	.35	NippleFor Pomona air clarifier, 2½"x1½" long	Cetew
		TOOL BOX—GROUP NO. 50	
164349	4.75	Tool BoxFor tool equipment, bolts to rear of tractor	Chayn
Page 26		ALWAYS GIVE "CATERPILLAR" TRACTOR NUMBER WHEN ORDERING REPAIRS	

		MOTOR MOUNTING—GROUP NO. 51				
-	Part No.	Price	Part Name	Code		
9	10.1.196	12.75	HangerFor motor support, cast steel, front	Cecix		
1	165515	.45	Special Bolt	Chulv		
-	107982	.10	Shim For motor hanger, 16"x214"x418" sheet iron	Ceita		
	107983	.10	Shim For motor hanger, 32"x214"x418" sheet iron	Ceiur		
	109229	.20	ShimFor motor hanger, 1/8"x21/4"x41/8", mild steel	Серwу		
	109230	.30	ShimFor motor hanger, 1/4"x21/4"x41/8", mild steel	Cepyl		
	107790	6.50	Plate For motor suspension, cast iron, $5\frac{1}{4}$ "xl $7\frac{3}{16}$ "	Cecab		
	165516	.45	Special BoltFor motor suspension plate, 18 x21/2", 3/4" thread	Chumz		
-	107791	.75	PinFor motor suspension, 13/4"x5"	Cecen		
	107859	24.75	Motor Support	Cedok		
	165517	.45	Special BoltFor rear motor support, \frac{13}{16}"x2\frac{1}{4}", \frac{3}{4}" thread	Chunc		
	165518	.45	Special BoltFor rear motor support, 3/4"x2", head 3/6" thick	Chuox		
-	165519	.45	Special BoltFor rear motor support, 3/4"x2", head 58" thick	Chups		
	165520	.45	Special BoltFor motor support, 5/8"x41/4"	Churb		
	109236	.10	Shim For motor support, rear, 16"x23/8"x6", sheet iron	Cesia		
	109235	.10	ShimFor motor support, rear, .05"x23%"x6", sheet iron	Cesao		
	109234	.10	ShimFor motor support, rear, \(\frac{1}{32}\)"x2\\ 8\"x6\", sheet iron	Cerye		
	109233	.10	Shim For motor support, rear, \(\frac{1}{16}\'' x2\'' x2\'/8\'', \) sheet iron	Ceroy		
	109232	.10	ShimFor motor support, rear, .05"x2"x23%", sheet iron	Cernt		
	109231	.10	ShimFor motor support, rear, \(\frac{1}{32}\)"x2\"x2\%\", sheet iron	Cereo		
-	120678	.10	ShimFor motor support, rear, 1/8 "x2"x23/8", mild steel	Cetza		
	RADIATOR MOUNTING—GROUP NO. 52					
	164323	250.00	Radiator For cooling system, complete with sections	Ceyoh		
	107389	41.50	Header Upper, for radiator assembly, cast iron	Caokt		
ris	108109	2.30	Filler CapFor radiator	Cejko		
-	107785	26.75	HeaderLower, for radiator assembly	Cebpa		
	107766	7.95	Channel For radiator assembly, right hand, cast iron	Ceawt		
	109058	7.95	Channel For radiator assembly, left hand, cast iron	Cemiu		
	164322	4.95	Section For radiator assembly, four spiral tubes with top and bottom tubes	Ceyls		
-	108172	.06	Cap For header tube, brass, 17/8" dia	Cekar		
	108296	.04	Washer	Cekjy Cekki		
10	108297	.02	FillerFor header tube cap, 3 "x13 "			
	107771	.25	StudFor header tube clamp, ½"x7¼"	Coimi		
	108112	.50	Clamp For header tube	Coant		
	107710	.60	ConnectionFor radiator hose, cast iron	Caxut		

Page 27

RADIATOR MOUNTING—GROUP NO. 52—Continued							
Part No.	Price	Part Name	Code				
165584	.15	Stud BoltFor radiator hose connection, ½"xl¾"	Ciako				
107879	.06	Gasket	Ceefi				
108143	1.85	Bracket	Cejup				
107897	.15	PadFor radiator, felt, 1/4"x4"x7"	Ceexd				
107597	.60	Brace For radiator, 3/4"xl1/2"x71/4"	Carxi				
108124	.25	Pin For radiator brace, 3/4"x21/2"	Cejoc				
107895	1.75	Bracket For radiator brace, cast steel, bolts to cylinder head	Ceepe				
120058	.25	Pipe	Cetic				
120059	.40	Pipe For radiator overflow, bent, 1/4"x221/2" long	Cetje				
2.00		FAN SHIELD—GROUP NO. 53	egh (e)				
107925	.45	Shield For radiator fan, sheet iron, right hand, .05"x634"x201/2"	Cefuh				
107926	.45	Shield For radiator fan, sheet iron, left hand, .05"x63/4"x201/2"	Cefvo				
	POWER PULLEY ATTACHMENT—GROUP NO. 54						
14857	134.45	Housing AssemblyFor power pulley, housing, shaft, gear, roller bearing, pulley, etc.	Cakzu				
12375	31.30	HousingFor power pulley housing assembly, cast iron	Caisp				
14861	72.50	Shaft AssemblyFor power pulley, driven shaft, with pinion and oil thrower	Calad				
12383	39.95	Shaft For power pulley, shaft only, 23/4" dia. x 1913 long	Caiwi				
13002	25.25	Bevel PinionFor power pulley shaft assembly	Cajor				
13000	.55	KeyFor pinion 13002, ½"x½"x½½"	Cajla				
13949	5.20	Oil ThrowerFor power pulley shaft assembly	Cakun				
13968	.15	Key For oil thrower, 3 x 16 x 1/4	Cakya				
13433	1.50	Washer For power pulley shaft, $\frac{3}{16}$ " thick x $3\frac{1}{4}$ " I.D. x $5\frac{3}{8}$ " 0.D	Cakop				
13428		Roller BearingFor power pulley shaft, Hyatt #26630Write for price	Cakne				
13423	11.85	Bearing RetainerFor roller bearing, cast iron	Cakis				
13019	.30	Stud Bolt	Cakfo				
12382	6.35	Cap For pulley drive shaft bearing, cast iron	Caiux				
12390	.25	GasketFor power pulley housing, vellumoid, 32"x55%"x7½" 0.D	Caiym				
12391	.25	GasketFor power pulley housing, vellumoid, .031"x65%"x934" 0.D	Caiza				
12200	.15	GasketFor power pulley housing, vellumoid, $\frac{1}{32}$ " $x4\frac{1}{16}$ " $x5\frac{1}{2}$ " 0.D	Caiph				
12387	.25	PackingFor power pulley drive shaft, felt	Caixo				
12373	32.50	Pulley For power pulley attachment, 14" 0.D. x $2\frac{3}{16}$ " bore x $10\frac{1}{2}$ " face	Cairy				
13009	.10	KeyFor power pulley, ½"x½"x½" x476" long	Cakal				
13018	1.30	Washer For power pulley shaft, $\frac{1}{4}$ " thick x $1\frac{13}{32}$ " I.D x 3" 0.D	Caker				

POWER PULLEY ATTACHMENT—GROUP NO. 54—Continued					
Part No.	Price	Part Name	Code		
12191	.15	Nut LockFor power pulley shaft nut, sheet iron	Caimk		
12180		BearingWrite for price	Cailg		
13006	.10	Shim For power pulley attachment, .031"x3½" I.D. x 364 0.D	Cajuz		
13007	.10	ShimFor power pulley attachment, .015"x3½" I.D. x 359 0.D	Cajyu		
12478	2.65	Cap For power pulley shaft housing, gear end	Cajid		
13426	.65	SpacerFor power pulley shaft, tubing	Cakji		
12198	.20	WasherFor power pulley shaft, 1/4 "x1312"x21/2" 0.D	Caiob		
14864	2.70	Breather Assembly For power pulley attachment, with filler cap and nipple	Calbu		
8920	.30	Stud BoltTo fasten attachment to housing, 7/8"x2½"	Caihd		
13024	.10	Dowel PinFor power pulley attachment, 3/8"x1"	Cakgy		
164324	140.00	Shaft Assembly For belt drive, shaft, gears, ball bear., housing and housing cover	Ceyrf		
107715	39.50	Shaft For belt drive, shaft only, 2½"x3' 93%" long	Caydy		
13003	31.25	Bevel GearFor belt drive shaft assembly	Cajre		
13000	.55	KeyFor bevel gear 13003, ½"x½"x2½"	Cajla		
12399		Ball BearingWrite for price	Cajei		
12376	28.15	Housing For Gurney bearing, cast iron	Caits		
12398	1.45	CollarFor belt drive shaft	Ceaca		
107750	.10	Feather Key For belt drive shaft, ½"x3/8"x6"			
108802	.35	Cover For power pulley housing extension, cast iron	Ceate		
107760	.55	Handle Shifting, for belt drive gear, 3/4"xll1/4" long	Cevaf		
120753	4.95	Fork For belt drive attachment	Caych		
107713	29.75	GearFor belt drive	Caybt		
107712	1.45	WasherFor belt drive gear, 3%"x2" I.D x 4118" 0.D			
164497		Roller Bearing	Caxyc		
107711	1.10	Retaining WasherFor drive gear, 3/8"x1 1 2" x3"	Oury		
		MOTOR CONTROL—GROUP NO. 55	- Cariana		
107974	.25	Control RodFor magneto control, #1, 1/4"x3' 01/4" long			
107984	.15	Control RodFor magneto control, #2, 1/4"x31/4" long			
102162	.08	LeverFor magneto advance	Calti		
109285	.60	ArmOr bell crank for magneto and carburetor control	Cetav		
165521	.20	Special BoltFor bell crank arm, 1/2 "xl332" long	Chush		
107973	.20	Control RodFor carburetor control, #1, 1/4"x18" long			
107972	.30	Control RodFor carburetor control, #2, 1/4 "x4' 01/4" long	Ceiof		

TRACK CHAIN—GROUP NO. 56

Part No.	Price	Part Name	Code
AM629	260.00	Track Chain For 72" tread, Style 37, one side only, complete less shoes	Ciayk
AM1285	332.50	Track Chain	Cider
AM1282	345.00	Track Chain	Cicoy
AM1283	357.50	Track Chain	Cicye
AM1284	375.00	Track Chain	Cidal
AM1606	10.50	Track Link For style 37 track, cast steel, with space block assembled	Cidne
2258SS	.95	Space Block	Caedo
3247SS	.90	Track PinFor track link, steel, case-hardened, 11/4" dia. x 91/2" long	-Cafil
M10554	2.50	Track Shoe For style 37 track, 16" shoe, drop forged plow steel	Cilij
M10555	2.95	Track Shoe For style 37 track, 20" shoe, drop forged plow steel	Cilog
M10556	3.60	Track Shoe For style 37 track, 24" shoe, drop forged plow steel	Cilru
M10557	4.15	Track ShoeFor style 37 track, 28" shoe, drop forged plow steel	Cilst
M7616	.15	Plate For track shoe reinforcing, mild steel, ¼"x1¾"x8¼" long	Cikra
160893	.55	Track Bolt For track shoe, complete with nut and spring cotter	Cewer

Page 30

ALWAYS GIVE "CATERPILLAR" TRACTOR NUMBER WHEN ORDERING REPAIRS

NUMERICAL LIST

Part No.	Price	Group	Part Name	Specifications	Code
31SA	5.85	26	Shifter Ring For	double clutch 107904, two halves bolted together, Phos. Bronze	Caade
1501SB	3.15	36	BushingFor	truck wheel, Phos. Bronze, $1\frac{15}{16}$ " bore x $3\frac{1}{2}$ " long	Caaeg
1519SB	3.90	24	Bushing For	gear AM1651, Phos. Bronze, 23 bore x 3½ long	Caait
1630SB	21.50	22	Friction DiscFor	master clutch, center, Phos. Bronze, 3/8" thick, drilled 35"	Caaja
1631SB	21.50	22	Friction DiscFor	master friction clutch, center Ph. Brz., 3%" thick, drilled 44"	Caali
3766SB	8.55	25	Bushing For	sleeve hub AM1658, Ph. Brz., 216" bore x 216" 0.D. x 838" long	Caans
1421SC	5.30	23	Bearing Cap For	steering clutch shaft bearing, babbitted, 3% "x3" long	Caaol
1431SC	.65	37	BracketFor	rear thrust rod, 15%" socket for rod, cast iron	Caapy
1537SC	.95	36	BracketFor	truck frame tension rod, cast iron	Caarz
1632SC	7.40	22	Friction DiscFor	master clutch, center, cast iron, 14½" O.D	Caauk
1633SC	6.25	22	Friction Disc For	master clutch, outer, cast iron, 5%" thick x 14½" 0.D	Caawu
1391SF	4.95	45	Seat SpringFor	truck spring, single, cast steel	Caban
1393SF	6.40	36	HingeFor	truck frame, male, cast steel, bored for 23 shaft	Cabet
1394SF	6.90	36	Hinge For	truck frame, female, cast steel, bored for 23 shaft	Cabiy
1410SF	15.45	22	Retaining RingFor	master friction clutch, cast steel, $14\frac{1}{2}$ " O.D. x $10\frac{11}{32}$ " I.D	Cablo
2536SF	1.25	36	Dust CollarFor	truck wheel, cast iron	Cabmu
3636SF	6.50	36	BracketFor	front thrust rod, cast steel, right hand, 135" cored hole	Caboe
3637SF	6.50	36	BracketFor	front thrust rod, cast steel, left hand, 135" cored hole	Cabra
5023SF	21.75	42	ForkFor	front idler, cast steel, bored for 23 shaft	Cabui
5024SF	.95	42	ClampFor	front idler fork, cast steel, 7/8" thick, 2 16" wide x 61/4" long.	Cabys
5043SF	15.75	26	Clutch Driver For	steering clutch, 3 arms, cast steel, 218 bore, keywayed	Cacae
3379SM	.60	28	GasketBetw	ween final drive gear dust guard & dust guard cov., roofing paper	Cacel
2533SR	.15	36	Washer For	truck wheel gudgeon, 16"x2"x3" O.D	Caciu
3297SR	.03	23	ShimFor	intermediate gear shaft bear., .0312" thick x 1116" wide x 21/4" 1g	Cacua
3298SR	.03	23	ShimFor	intermediate gear shaft bear., .0156" thick x $1\frac{11}{16}$ " wide x $2\frac{1}{4}$ " 1g	Cadab
3307SR	.03	23	ShimFor	steering clutch shaft bearing, .0312" thick x $1\frac{11}{16}$ " wide x 3" long	Cadds
3308SR	.03	23	ShimFor	steering clutch shaft bearing, .0156" thick x $1\frac{11}{16}$ " wide x 3" long	Caden
1423SS	.60	30	BushingFor	shifter shaft 164325, $1\frac{1}{16}$ " bore x $1\frac{1}{2}$ " 0.D. x $3\frac{3}{8}$ " long	Cadfu
1466SS	22.50	25	GearFor	sleeve hub AM1658, 30 teeth, 2" face, 334" bore	Cadix
1470SS	16.50	25	GearFor	sleeve hub AM1658, 24 teeth, 2" face, 33/4" bore	Cadky
1870SS	.20	22	PinFor	master clutch dog E2698, 34"x35%" long, drilled	Cadoj
1899SS	2.00	45	SpringFor	trucks, outer spring	Cadth
1900SS	.90	45	SpringFor	trucks, inner, or core spring	Caduc

Part No.	Desire		2 1 11	NOWERICAL	7 17101
	Price	Group	Part Name	Specifications	Code
2050SS	.20	22	Pin	Fastens link 107558 to clutch shifter 107560, 34"x214"	Cadva
2220SS	.20	30	Pin	For collar 2235SS and lever, $3\frac{1}{2}$ " c. to c. of holes, $\frac{1}{2}$ " x4 $\frac{1}{16}$ " long	Cadwo
2222SS	.20	22	Pin	For master clutch dog E2698, 3/4"x216" drilled	Cadxe
2232SS	5.85	42	Shaft	For front idler, cold rolled steel, case hardened, 23 "x151/8" long.	Cadyv
22 3 5SS	1.65	30	Collar	For shifter shaft 107720, $1\frac{1}{16}$ " bore x $2\frac{5}{16}$ " long	Cadzi
225 3 SS	8.75	28	Cover	For drive gear dust guard, mild steel, R. H., 3 " thick x 2' 31/4" dia.	Caeat
2258SS	.95	56	Space Block	For track link, special steel, cs-hd, $1\frac{17}{32}$ " I.D. x 2" 0.D. x $5\frac{1}{2}$ " long	Caedo
2282SS	17.50	24	Clutch	For change speed, steel, case hardened, 5" O.D. x 316" long	Caege
2306SS	3.25	22	Flywheel Pin	Drives clutch ring 1410SF, steel, case hardened, 13/4"x21/2"	Caehl
2308SS	.70	30	Special Screw	For lock pin 2309SS, 14" bore x 78" 0.D	Caely
2309SS	.15	30	Lock Pin	For shifting lever, 1/2" dia. x 2" long, with ball point	Caemn
2310SS	.10	30	Spring	For lock pin 2309SS, 7 coils, $\frac{7}{16}$ " 0.D. x $1\frac{5}{16}$ " long	Caenb
2347SS	.20	24	Feather Key	For crank shaft extension, 5/8"x5/8"x4-16" long	Caeom
2348SS	.20	25	Taper Key	For gears 1466SS and 1470SS, 58"x1/2"x2"	Caepu
2511SS	.45	31	Pin	For shifting fork 107947, 3/4"x191/4" long	Caeri
2537SS	.25	22	Adjusting Screw	For master clutch dog E2698, case hardened head, 1/2"x13/4" long	Caesa
2557SS	.15	33	Pin	For eye bolts to fork, ½"x5%", steering clutch	Caeug
2565SS	.30	44	Pin	For rear cross tie rod, 1" dia. x 3¾" long	Caevs
2565SS	.30	43	Pin	For front cross tie rod, 1" dia. x 3¾" long	Caevs
2571SS	.20	26	Special Nut	For stud bolt assembly 164426, holds spring in place. 5%" thread	Caewd
2839SS	5.75	35	Channel	For truck frame, outside, right hand, 6" channel, 2' 8" long	Caeyr
2840SS	5.75	35	Channel	For truck frame, inside, right hand, 6" channel, 2' 8" long	Cafay
2841SS	7.25	36	Channel	For front truck frame, outside, right hand, 6" channel, 3' 4" long	Cafeu
2842SS	7.25	36	Channel	For front truck frame, inside, right hand, 6" channel, 3' 4" long.	Cafha
3247SS	.90	56	Track Pin	For track link, steel, case hardened, 14" dia. x 9½" long	Cafil
3426SS	2.65	26	Bearing Washer	For steering clutches, mild steel, cs-hd. and ground 1/2"x215"x61/4"	Cafle
3436SS	.01	26	Dowel	For clutch housing, ¼"xl½"	Cafot
3439SS	2.10	26	Thrust Washer	For inner thrust bearings 164427 or 165600, 1/4 "x4 1/5 "x6 1/8"	Cafsi
3716SS	8.75	28	Cover	For drive gear dust guard, mild steel, left hand, 3 "x2' 31/4" dia	Cafuo
4313SS	4.45	36	Gudgeon	For truck wheel, cold rolled steel, heat treated, 116 "x163" long.	Cagau
4405SS	1.65	37	Thrust Rod	Rear, cold rolled steel, one end rounded, 178 "x23%" long	Cagea
6284	2.20	22	Retaining Ring	Bolts to master clutch coupling and gear, 7" O.D	Cagie
6747	1.05	34	Foot Pedal	For steering clutch brakes, drop forged	Cagoi

Part No.	Price	Group	Part Name	Specifications	Code
6801	1.35	33	LeverFor s	spark, malleable	
6802	.20	33		spark and throttle levers	Cahap
6813	.70	34		steering clutch brake rods, ½" thread	Cahco
6918	.95	28		end of drive shaft, galv. sheet iron	Cahej
7217	1.05	32		steering clutch brake rod, cast iron	Cahga
7232	1.65	33		spark advance	Cahhi
7234	2.15	33		throttle control	Cahiw
7244	.45	32	Adjusting Rod For	steering clutch brakes, 7½" long, 5¼" of thread	Cahox
7252	2.70	32	Bracket For	steering clutch brake rod adjustment, drop forged	Cahud
7260	3.80	32	Bell CrankFor s	steering clutch brakes, drop forged	Cahve
7262	5.90	34	Rocker Arm For s	steering clutch brake lever, drop forged	Cahxy
7273	4.70	34	Pedal LeverFor s	steering clutch brake pedal, drop forged	Cahyg
7290	1.65	33		throttle, malleable	Caiav
7721	.35	22	WasherFor	retaining ring 6284, leather	Caict
8771	.02	33	Washer Fibr	e ½"x½"x2", spark and throttle control	Caiew
8920	.30	54	Stud Bolt To fa	asten attachment to housing, 7/8"x21/2", power pulley	Caihd
8963	1.00	34	CollarFor s	steering control post, ½"x2"	Caije
10425	2.70	33		steering control column, malleable	Caiku
12180		54	Bearing For	power pulley, thrust	Cailg
12191	.15	54		power pulley shaft nut, sheet iron	Caimk
12198	.20	54	Washer For p	power pulley shaft, 1/4 "xl312" x21/2" 0.D	Caiob
12200	.15	54	Gasket For	power pulley housing, vellumoid, $\frac{1}{32}$ "x4 $\frac{1}{16}$ "x5 $\frac{1}{2}$ " 0.D	Caiph
12373	32.50	54	Pulley For p	power pulley attachment, 14" O.D. x $2\frac{3}{16}$ " bore x $10\frac{1}{2}$ " face	Cairy
12375	31.30	54	Housing For p	power pulley housing assembly, cast iron	Caisp
12376	28.15	54		Gurney bearing, #311 (12399), cast iron	Caits
12382	6.35	54	CapFor	pulley drive shaft bearing, cast iron	Caiux
12383	39.95	54	Shaft For	power pulley, shaft only, $2\frac{3}{4}$ " dia. x $19\frac{13}{16}$ " long	Caiwi
12387	.25	54		power pulley drive shaft, felt	Caixo
12390	.25	54		power pulley housing, vellumoid, 32"x55/8"x71/2" 0.D	Caiym
12391	.25	54	GasketFor	power pulley housing, vellumoid, .031"x416"x5½" 0.D	Caiza
12398	1.45	54	CollarFor 1	belt drive shaft	Cajak
12399		54		fan belt drive shaft, Gurney #311Write for price	Cajei
12478	2.65	54	CapFor p	power pulley shaft housing, gear end	Cajid

Part No.	Price	Group	Part Name	Specifications	Code
13000	.55	54	KeyFor	bevel gear 13003, ½"x½"x2½"	Cajla
13000	.55	54	KeyFor	pinion 13002, ½"x½"x2½"	Cajla
13002	25.25	54	Bevel PinionFor	power pulley shaft assembly	Cajor
13003	31.25	54		belt drive shaft assembly	Cajre
13006	.10	54	ShimFor	power pulley attachment, .031"x3½" I.D. x 354" 0.D	Cajuz
13007	.10	54		power pulley attachment, .015"x3½" I.D. x 359 0.D	Cajyu
13009	.10	54	KeyFor	power pulley, ½"x½"x4½" long	Cakal
13018	1.30	54	WasherFor	power pulley shaft, $\frac{1}{4}$ " thick x $1\frac{13}{32}$ " I.D. x 3" 0.D	Caker
13019	.30	54	Stud BoltHol	ds bearing retainer 13423 to gear housing, 5/8"	Cakfo
13024	.10	54	Dowel PinFor	power pulley attachment, 3/8"x1"	Cakgy
13423	11.85	54	Bearing Retainer For	roller bearing Hyatt #26630 (13428), cast iron	Cakis
13426	.65	54	SpacerFor	power pulley shaft, tubing	Cakji
13428		54	Roller BearingFor	power pulley shaft, Hyatt #26630Write for price	Cakne
13433	1.50	54	Washer For	power pulley shaft, 3 " thick x 31/4" I.D. x 53/8" 0.D	Cakop
13949	5.20	54	Oil Thrower For	power pulley shaft assembly	Cakun
13968	.15	54	Key For	oil thrower 13949, $\frac{3}{16}$ " \mathbf{x}_{16} " \mathbf{x}_{16} " $\mathbf{x}_{1/4}$ "	Cakya
14857	134.45	54	Housing Assembly For	power pulley housing, shaft, gear, roller bearing, pulley, etc.	Cakzu
14861	72.50	54	Shaft Assembly For	power pulley, driven shaft, with pinion and oil thrower	Calad
14864	2.70	54	Breather Assembly For	power pulley attachment, with filler cap and nipple	Calbu
15341	.10	32	Spring For	steering clutch brake band relief	Calec
60529	3.85	30	ScreenFor	oil filler, brass screen, in cover 107795	Calih
100292	.04	4	Gasket Bet	ween cylinder and crank case, 16"xl16"xl16", rubber	Callb
102141	.40	18	Thrust Washer For	rotary oil pump shaft, 134" dia., 16" thick, Phos. Bronze	Calmo
102142	.35	18	Thrust Washer For	rotary oil pump shaft, 134" dia., 1/8" thick, Phos. Bronze	Calov
102143	.45	18	Thrust Washer For	rotary oil pump shaft, 134" dia., 32" thick, Phos. Bronze	Calsk
102162	.08	55	LeverFor	magneto advance	Calti
103055	.20	23	Felt WasherFor	cover M3781	Calus
103056	.15	23	Felt WasherFor	cover M3782	Calvy
103069	.03	23	Shim For	steering clutch shaft bearing, .004" thick x $1\frac{11}{16}$ " wide x 3" long	Calwa
103077	1.30	33	Rod EndFor	steering control adjusting rod, 3/4" thread	Calyx
103077	1.30	33		steering clutch lever eye bolts, jewel steel, 3/4" thread	Calyx
103101	.35	6	Spring For	intake or exhaust valves, 15 "I.D. x 41/4" long	Calze
103102	5.35	26	Retaining Washer For	steering clutch housing, threaded, $2\frac{7}{32}$ " bore x $3\frac{7}{8}$ " 0.D. x $1\frac{1}{2}$ " 1g	Camah

Part No.	Price	Group	Part Name	Specifications	Code
104962	3.25	43	Tie RodFor	truck frames, mild steel, 34"xl1/2"xl7" long	Cambo
104962	3.25	44	Tie RodFor	truck frames, mild steel, 3/4"xl1/2"xl7" long	Cambo
104963	6.60	44		truck frames, angle iron, 3/8"x2"x2"x4232" long	Camcy
104964	6.60	43		truck frames, angle iron, 3/8"x2"x2"x2"x3916" long	Camdi
105285	.20	42		front idler clamp, 5/8"x5", drilled for cotter key	Cameb
105301	.40	36	Dust Washer For	truck wheel, 216" bore x 338" 0.D	Camhe
105311	.07	36	Shim For	truck frame hinge 1393SF, 16"x4½"x5¾"	Camif
105315	.09	36	Shim For	truck frame hinge 1394SF, \(\frac{1}{16}\)\"x5\(\frac{1}{8}\)\"x6\(\frac{1}{8}\)\"	Camks
105525	.10	25	Anchor Stud For	bushing 3766SB, brass, ½" dia. x 5%" long	Comoz
105613	.10	26	Key For	spur pinion M4908, 3/8"x5/8"x276" long	Campa
105616	4.75	31	Retaining Ring For	steering clutch shifter, 3/8" thick, 71/4" O.D., threaded	Camsu
105748	.15	36		truck wheel, oil retainer, 3/8" thick x 11/8" I.D x 31/6" 0.D	Camuv
105921	.20	37	Spacer	thrust rod bracket bolt, 3/4"x518", pipe	Camxl
106018	.08	7	Shim For	connecting rod, sheet brass, .0625" thick	Camyn
106028	.03	7	Shim For	connecting rod, sheet brass, .012" thick	Canax
106334	.75	36		truck wheel gudgeon oil cup, 1/8 "x436"x65%"	Canbz
106389	.15	26	Cap ScrewFor	keeper M4918, 5 "x 7/8", drilled head	Cancs
106793	.05	36		truck frame hinge 1393SF, 12 x4½ x53%	Canda
106794	.06	36		truck frame hinge 1394SF, 12 x51/8 x61/8	Canem
107141	2.50	20	Arm Riv	ets to fan hub 107684	Canfe
107146	.95	17		packing water pump, Phos. Bronze, $1\frac{21}{32}$ " O.D. x $\frac{15}{16}$ " long	Canho
107175	.45	13		governor throttle shaft	Canij
107195	.20	13	Pin For	throttle rod end, ½"xl3%"	Canog
107197	.65	13	Rod End For	throttle rod	Canru
107198	.15	13		governor throttle rod, C.R.S., 5 "x7%"	Canuw
107199	.20	12	Nut For	governor gear shaft 107762	Canvi
107200	.20	13		governor throttle valve housing, Phos. Brz., 3%"x1/2"x3%" long.	Canwy
107210	1.00	20	Blade For	fan, rivets to fan arm 107141	Canyl
107321	.60	20		tightener washer 107328, 11 I.D. x 23 Iong	Caoam
107322	.05	12	Pin For	governor weights, C.R.S., 5 x23/4"	Caoed
107327	1.75	12	Bushing For	governor gear, Phos. Bronze, 13/8" I.D. x 13/4" O.D. x 2" long	Caofs
107328	.40	20	Washer For	tightener, radiator spring fan drive, 21/4" O.D. x 1/2" thick	Caogn

Page 36

Part No.	Price	Group	Part Name	NUMERICAL	r rigi
		-		Specifications	Code
107340	1.60	12	Plunger	For governor, Phos. Bronze	Caoik
107346	1.50	20	Drive Disc	Movable on radiator fan shaft, 4½" O.D x 7½" long	Cao.jo
107389	41.50	52	Header	Upper, for radiator assembly, cast iron	Caokt
107394	.08	1	Dowel	Holds crank case doors in place. 3/4"x11"	Caolu
107402	.08	9	Washer	For tappet rod housing, felt	Caome
107551	87.50	28	Hub and Spider	For final drive gear	Caony
107554	19.50	11	Cover	For timing gear case 164410	Caoof
107557	7.45	23	Bearing Cap	For coupling bearing, babb. for 41/4" shaft, 43/4" long	Caopi
107558	.35	22	Clutch Link	For master clutch, mild steel, \(\frac{1}{2} \) "x1\(\frac{1}{2} \) "x3\(\frac{3}{2} \)", drilled	Caorp
107560	4.95	22	Clutch Shifter	For master clutch, cast iron, 31/8" bore x 31/3" long.	Caota
107563	7.75	23	Bearing Cap	For coupling shaft bearing, babb., 31/2", 7" long	Caour
107564	125.00	28	Ring Gear	For final drive, 33/4" face, 24" O.D., 58 teeth.	Caowl
107565	150.00	1	Crank Case	Or bed plate, 201/4" high x 3' 103/4" full length	Caoyz
107568	4.25	23	Bearing Cap	For intermediate gear shaft, center, babb. 41/2 "x21/" long	Capai
107569	11.75	22	Friction Disc	For master clutch, inner, cast iron, bolts to hub 107570	Capey
107570	14.75	22	Driving Hub	For master clutch, cast iron, 21/4" bore x 81/4" 0.D.	Capgu
107573	6.50	16	Inlet Manifold	Replaces 108932	Caphy
107574	11.50	23	Bearing Cap	For intermediate gear shaft bearing, L.H	Capio
107575	11.50	23	Bearing Cap	For intermediate gear shaft bearing, R.H	Capoa
107576	5.35	17	Water Manifold	Outlet from cylinder head	Capue
107577	.10	22	Pin	For clutch coupling key 107578, 1/4 "x31/4"	Capyt
107578	.20	22	Key	For clutch coupling 164314, ½"x½"x7½" long	Carai
107579		27	Whitney Key	For final drive gear pinion 107583, No. 36 Write for price	Carbs
107580	.25	27	Taper Key	For intermediate gear 107588, ½"x¾"x6½" long	Carck
107581	.06	22	Felt Ring	For clutch coupling 164314, \(\frac{1}{4}\)"x15\(\frac{1}{4}\)" I.D. \(\times 23\) " 0.D.	Cardt
107582	.40	27	Nut	For intermediate shaft 107587, 1½" hex	Carex
107583	28.00	27	Pinion	For final drive gear, 15 teeth, 4" face	Cariv
107584	1.95	27	Thrust Collar	For intermediate shaft, cast iron, 3/4" thick x 55/6" 0.D.	Carju
107585	1.30	27	Thrust Collar	For intermediate shaft, 34" thick x 488" I.D. x 614" 0 D	Carka
107587	23.25	27	Shaft	For intermediate gear, 3" dia. x 2318" long, shaft only	Carld
107588	85.00	27	Gear	For inter. shaft, drop forged, 61 th., 27% bore. 3" face. 21" 0.D.	Carmp
107589	23.75	24	Coupling Shaft	Drop forged, nickle steel, 31/2" large dia. 2.187" small dia. 241/3" lg	Carng
107590	155.00	1	Crank Shaft	Drop forged, all bearings ground	Carow

Part No.	Price	Group	Part Name Specifications	Code
107591	.25	24	Taper Key Holds pinion 107592 to shaft, 5/8"x5/8"x21/8"	Carpf
107592	23.50	24	Revel Pinion For crank shaft extension, 19 teeth, 21/2 face	Cartz
107593	1.35	26	Washer For reverse gear and inter. pinion, "6" thick x 2 % I.D. x 3 % U.D.	Caruh
107595	38.00	26	Revel Gear For steering clutch shaft, forward and reverse, 36 teeth, 2½" face	Carvo
107596	.10	28	Dowel Pin For stud bolt in end of drive shaft, 38 "x18" long	Carwe
107597	.60	52	For radiator, 3/4"x11/2"x71/4"	Carxi
107599	2.95	28	Spacer For roller bearing 164395, cast iron, 4½ long	Caryb
107601	.85	28	Spacer For roller bearing 164395, black iron pipe, 3" dia. x 484 long	Carzy
107602	.95	28	Washer For end of shaft 107610, $\frac{3}{8}$ " thick x $1\frac{3}{32}$ " 0.D. x $3\frac{7}{2}$ " I.D	Casar
107603	.90	26	Washer For bevel gear 107595, \(\frac{1}{2} \) thick x 2\(\frac{1}{4} \) I.D. x 2\(\frac{1}{4} \) 0.D	Casbe
107604	.25	28	Straight Key For sprocket hub 165535, 5% "x3/4"x6" long	Cashs
107610	78.50	28	Drive Shaft	Casiz
107611	2.10	28	Thrust Washer Gear end of hub 107551, inside, 1/4" thick x 33/4" I.D. x 7" 0.D	Casjy
107612	1.65	28	Thrust Washer Sprocket end of hub 107551, outside, 1/4"x316" I.D. x 616" 0.D	Caski
107612	1.65	28	Thrust Washer For track drive shaft outside, 1/4 "x316" I.D. x 616" 0.D	Caski
107613	5.25	1	Bearing Cap For bearing 107906, babbitted with Spec. Arm. Metal	Casno
107615	.10	28	Dowel Pin For washer 107611, 5 "x 16" long	Casod
107616	.08	28	Dowel Pin For dust covers 2253SS and 3716SS, 16 x 116 long	Castu
107616	.08	28	Dowel Pin For dust washer 107612, 36" x 16" long	Castu
107618	18.60	29	Retainer For felt washer, rivets to guard 107620 and 107621, brass	Casuf
107619	9.75	28	Bearing For thrust rod, rear, cast iron	Casyw
107620	21.45	29	Dust Guard For final drive gear, cast iron, guard only, right hand	Catia
107621	21.45	29	Dust Guard For final drive gear, cast iron, guard only, left hand	Catou
107622	69.50	30	Cover For transmission gear case, cast iron	-
107625	1.80	24	Equalizer Plug For coupling 164345, fastens to gear and coupling	· Catyi
107639	10.50	1	Bearing Cap For bearing Z659, babbitted with Spec. Arm. Metal	Cauag
107640	6.50	10	Shaft For cams, 138 dia. x 3' 816 long	Cauba
107641	7.40	11	Timing Gear For crank shaft, drop forged, 2½" bore, 34 teeth	Cauci
107642	.03	1	Shim For crank shaft bearing, gear end, sheet brass, .004" thick	Caudz
107643	.04	1	Shim For crank shaft bearing, gear end, sheet brass, .016" thick	
107644	.20	11	Retaining Washer For cam shaft timing gear, \(\frac{1}{8} \cdot \frac{2}{3} \cdot \frac{1}{1} \text{.D. x } 1 \frac{1}{15} \cdot \frac{1}{1} \text{.D. x } 1 \frac{1}{15} \cdot \f	
107644	.20	11	Retaining Washer For pump and magneto shaft gear, 1/8 "x32" I.D x 116" 0.D	
107645	.50	9	Housing For tappet rod, 1" dia. x 1416" long	oaur t

Page 38

Part No.	Price	Group	Part Name	Specifications	Code
107646	.75	9	Tappet RodFor	tappet rod assembly, rod only, case hardened, 5/8"x167/8"	Cauhu
107647	.15	9	ClampFor	felt washer 107402	Cauin
107648	1.60	10	Bushing For	end bearing, Phos. Bronze, $1\frac{3}{16}$ " I.D., $1\frac{7}{16}$ " O.D. x 3" long	Cauke
107649	16.75	11	Timing Gear For	cam shaft, drop forged, 116 bore, 68 teeth	Caulp
107650	2.95	1		door, for crank case	Caumc
107651	2.25	6	Dust Cover For	cylinder head and rocker arms	Caunx
107654	5.50	11	GearFor	pump and magneto shaft, cast iron, 116 bore, 34 teeth	Cauok
107656	.20	12		governor lever, ½"x4½" C.R.S	Caurv
107657	1.10	12	Housing For	governor spring, cast iron	Causo
107658	1.25	13		governor throttle rod, tubing #16 ga., 11/8" O.D. x 241/8" long	Cauub
107659	.40	12	Adjusting ScrewFor	governor spring, ½"x4" long	Cauvd
107660	. 35	12		governor spring, screw end, 13/8" rd. x 15/8" long	Cavby
107661	3.75	11		pump and magneto shaft, Ph. Brz., 178 x178 x338 long	Cavca
107662	2.65	12		governor gear, 1½" dia. x 6½" long	Cavdu
107663	1.75	12		governor, connects plunger to throttle rod	Cavep
107666	1.65	21		starting drive, 13 teeth	Cavim
107669	4.75	21		starting crank, 26 teeth	
107671	3.75	21		starting crank, cast iron	
107676	2.75	34		steering clutch brake shaft, cast iron	Cavul
107677	.95	12		governor, bolts to timing gear case	Cavyj
107680	.35	20		radiator fan shaft bearing, $1\frac{7}{16}$ " O.D. x $3\frac{1}{4}$ " long	Cavzo
107682	9.75	20		radiator fan, 1½"x15" long	Cawas
107683	1.90	20		radiator fan shaft, $4\frac{1}{2}$ " O.D. x $1\frac{7}{16}$ " long	Cawek
107684	5.75	20		s arm and blades	Cawfy
107685	4.25	20		fan roller bearing	Cawgi
107686	1.50	20		washer 107757 on fan shaft	Cawir
107687	2.25	17		packing gland, water pump, left hand thread, Phos. Bronze	Cawma
107688	2.25	17		packing gland, water pump, right hand thread, Phos. Bronze	Cawnu
107689	1.45	17	BearingOr	bushing, for water pump shaft, Phos. Bronze, 15 0.D. x 13 1ong	Cawpo
107694	.55	17		water pump, tapped for 1" pipe	
107695	1.15	17		water pump discharge	
107699	.25	1		crank case door, 5%"x35%" long	
107700	.25	2		oil filler assembly, ¼"x14½" long	Caxes

Part No.	Price	Group	Part Name	Specifications	Code
107701	.10	13		governor throttle valve housing, mild steel, 16 x2 76 x3	Caxfi
107703	.95	13		governor throttle, 1/4" rd. x 251/8" long	Caxip
107705	2.95	2		oil filler assembly	Caxmy
107707	1.95	17		water discharge, flanged	Caxna
107708	11.85	2	Oil Reservoir Bolts	s to bottom of crank case	Caxpe
107709	6.25	22	Clutch Fork For m	master clutch shift, cast steel	Caxro
107710	.60	52		radiator hose, cast iron	Caxut
107711	1.10	54	Retaining WasherFor d	drive gear 107713, 3/8"x1 14"x3"	Caxyc
107712	1.45	54	Washer For k	pelt drive gear, 3/8"x2" I.D. x 4116" 0.D	Caybt
107713	29.75	54		pelt drive	Caych
107715	39.50	54		belt drive, shaft only, 2½"x3' 9¾" long	Caydy
107716	7.95	34		foot pedal, steering clutch brake, drop forged	Cayev
107717	2.95	33		steering control, 18 bore, cast steel	Caygs
107718	4.95	30		change speed shifter, cast steel	Cayib
107719	2.50	30		gear shift, cast steel, 191/4" long	Cayko
107722	.50	30		steering clutch lever, in gear case cover, 118 x77% long	Caylf
107723	.25	34		steering clutch brake, left hand, ½"x14" long	Caymi
107724	.40	33		s lever 107667 on pin, $1\frac{1}{16}$ " I.D. x $2\frac{1}{8}$ " O.D	Cayoc
107732	24.25	28	Bearing Cap For t	track drive shaft, right hand, $20\frac{7}{16}$ " long, babb	Cayse
107733	14.75	40		steel, 1"x4"x4' 2", bent U shape	Cayup
107737	24.25	28	Bearing Cap For t	track drive shaft, left hand, 20% long, babb	Cayvu
107741	1.25	34		steering clutch brakes, 1"x2' 8"	Cayxa
107742	1.75	33		steering column, 1"x2711 long	Cazeo
107743	.40	33		throttle and spark control lever, 3/8"x26"	Cazoy
107746	.20	30	GasketFor	cover 107795, seigelite, 32"x5"x12"	Cazye
107748	.80	30		brake bell crank 7260, $\frac{7}{8}$ " thread, $1\frac{1}{2}$ " long, $6\frac{5}{8}$ " overall	Ceaaz
107749	.15	30		reverse and change speed shifter shaft, 3/8"x3/8"x51/2"	Ceaby
107750	.10	54		belt drive shaft, ½"x3%"x6"	Ceaca
107752	4.35	30		reverse clutch, malleable iron	Ceadu
107753	2.85	30		operator's seat support	Ceaep
107754	.02	32		steering clutch brakes, $\frac{13}{16}$ " I.D. x $1\frac{1}{4}$ " O.D	Ceafk
107757	.10	20		radiator fan shaft, $\frac{7}{16}$ " thick x $1\frac{5}{9}$ " I.D. x $2\frac{5}{9}$ " 0.D	Ceani
107758	2.50	41	BaseFor	operator's seat, cast iron	Ceaos

Part No.	Price	Group	Part Name	Specifications	Code
107760	.55	54	HandleSh	nifting, for belt drive gear, 3/4"xll1/4" long	Ceate
107764	9.45	16	Exhanst ManifoldCo	ounterbored for gaskets	Ceaul
107766	7.95	52	ChannelFo	or radiator assembly, right hand, cast iron	Ceawt
107767	3.25	33	Lever Fo	or side friction steering clutch, cast steel	Ceayj
107770	7.50	33	LeverS	eering control clutch, hand lever	Ceazo
107771	.25	52	StudFo	or header tube clamp, ½"x7¼"	Cebah
107774	8.25	45	Spring SeatFo	or truck springs, double, rear, cast steel	Cebbo
107775	8.25	45	Spring SeatFo	or truck springs, double, front, cast steel	Cebcy
107780	2.75	30	Cover	or power pulley gear drive bearing, cast iron	Cebdi
107781	7.75	33	BracketFo	or steering post, cast iron	Cebeb
107782	.35	48	Pad Fo	or fuel tank, felt, 3%"x41/2"x15" long	Cebhe
107783	.95	41	Pivot	or operator's seat, 134"x414"	Cebif
107784	.95	10	Bushing F	or bearing, Phos. Bronze, $1\frac{3}{16}$ " bore x $1\frac{7}{16}$ " 0.D. x $1\frac{3}{4}$ " long	Ceboz
107785	26.75	52	HeaderL	ower, for radiator assembly	Cebpa
107787	2.60	30	CoverFo	or power pulley housing extension, cast iron	Cebsu
107788	14.50	48	Tank and Support Fo	or track oil, supports fuel tank, cast iron	Cebuv
107789	11.25	48	SupportFo	or fuel tank, cast iron	Cebyn
107790	6.50	51	PlateFo	or motor suspension, cast iron, $5\frac{1}{4}$ "xl $7\frac{3}{16}$ "	Cecab
107791	.75	51		or motor suspension, 13/4"x5"	Cecen
107795	3.75	30	Cover	or gear case cover, cast iron, transmission	Cecfu
107796	12.75	51	HangerFo	or motor support, cast steel, front	Cecix
107826	32.00	28	Ring Sprocket Fo	or track drive, cast iron, bolts to hub 165535	Cecky
107827	.95	11		or pump gear on timing gear case	Cecoj
107829	49.50	26		or steering clutch, cast iron, for 3" steering clutch	Cecva
107832	.04	17		or water manifold, seigelite, 15% "x31/4"	Cecwo
107836	8.95	17	ShaftFo	or magneto and water pump, 1½"x26½" long	Cecxe
107838	1.15	22		or master clutch lever, cast iron	Сесуу
107839	.95	22	- L	or master clutch lever bracket 107838	Ceczi
107840	.35	28		or dust ring, $\frac{1}{2}$ "x8" I.D. x9 $\frac{5}{16}$ " O.D., final drive dust guard	Cedag
107847	.75	17		or water pump shaft, $1\frac{5}{64}$ " I.D. x $2\frac{5}{8}$ " O.D. x 1" long	Cedba
107850	.15	12		or governor cover 107677, seigelite, ½"x8"x14¾"	Cedci
107851	2.95	14		or magneto, bolts to crank case	Ceddz
107852	.60	28	Felt WasherFo	or bearing 107619, 5% "x5½" I.D. x 7" 0.D	Cedeh

Part No.	Price	Group	Part Name	Specifications	Code
107854	.40	30	Cap Screw	For seat support bracket 107753, 1/4"x41/4" long	
107857	5.40	15		For air warmer	
107859	24.75	51	Motor Support	Rear, cast steel, 73/4"x263/4"	
107860	.35	33	Nut	For steering control shaft 107742	Cedso
107862	9.75	40	Draw Bar	Swinging, cast steel, 3"x291/8" long	Cedty
107863	7.80	40	Bracket	For swing draw bar, steel	Cedub
107865	.25	15		For air warmer valve	Cedyf
107875	.35	15	Lever	For air warmer valve, cast iron	Ceecu
107879	.06	52		For hose connection, seigelite, $\frac{1}{32}$ "x2¾"x4¾"	
107882		32	Gandy Lagging	For steering clutch brake band, 3 "x23/4"x2' 313" lgWrite for price	Ceelm
107886	.20	1		For side plate 107650, cardboard	Ceemy
107887	.05	13	Gasket	. Between manifold and throttle body, seigelite	Ceena
107889	.05	17	Gasket	For flanged discharge pipe 107707, seigelite, 2"x31/8"	Ceeon
107895	1.75	52	Bracket	For radiator brace, cast steel, bolts to cylinder head	Ceepe
107897	.15	52		For radiator, felt, ¼"x4"x7"	Ceexd
107898	.30	22	Pin	For master clutch shifter, for 107709, 34"x934"	Ceeyc
107904	17.50	26	Double Clutch	. For steering clutch shaft, 5" O.D. x $2\frac{7}{16}$ " bore x $2\frac{13}{16}$ long	Cefaj
107906	7.35	1		For gear end babbitted with Spec. Arm. Metal	
107907	.50	11	Cover	For opening for generator in timing gear case	
107908	.15	15	Shaft	For air warmer valve, 3/8"x47/8"	Cefiv
107910	.25	11	Special Bolt	For timing gear case, 3/8"x31/4" long	Cefju
107915	.50	21	Crank Pin	For starting crank, 1"x416" long	Cefka
107924	1.95	17		For water pump	Cefow
107925	.45	53	Shield	For radiator fan, sheet iron, right hand, .05"x634"x201/2	Cefuh
107926	.45	53	Shield	. For radiator fan, sheet iron, left hand, .05"x63/4"x201/2"	
107933	.10	28		. For dust cap 6918, roofing paper	
107934	6.25	24	Bushing	. For gear 164345, Phos. Bronze, 2" I.D. x $2\frac{11}{16}$ " O.D. x 6" long	Cefxi
107935	.25	30	Pin	For belt drive shifter opening, 3/4"x21/4"	Cehvl
107936	.35	26	Spring	. For steering clutch, $\frac{13}{16}$ " I.D. x 3" long, for 3" face steering clutch	
107947	7.25	31	Shifter Fork	. For steering clutch shifting, cast steel	Ceied
107952	.05	12	Gasket	. Between governor housings, seigelite, \(\frac{1}{32}\)"x21/4"x35/8"	Ceifs
107953	1.30	19	Distributor Pipe	. For crank case oil, ½"x3' 276" long	Ceijo
107965	.75	16	Clamp	. For inlet and exhaust manifold, cast steel	Ceikt

Page 42

Part No.	Price	Group	Part Name	Specifications	Code
107966	.07	1	ShimFor	crank shaft, bearing, flywheel end, sheet brass, .016" thick.	Ceilu
107967	.03	1	Shim	crank shaft bearing, center, sheet brass, .016" thick	Ceime
107968	.85	11	Retaining Washer For	crank shaft timing gear, $\frac{3}{16}$ " x_{32}^{25} " I.D. x 3" 0.D	Ceiny
107972	.30	55	Control Rod For	carburetor control, #2, 1/4"x4' 01/4" long	Ceiof
107973	.20	55	Control RodFor	carburetor control, #1, 1/4"x18" long	Ceipi
107974	.25	55	Control Rod For	magneto control, #1, 1/4"x3' 01/4" long	Ceirp
107982	.10	51		motor hanger, 18"x21/4"x41/8", sheet iron	Ceita
107983	.10	51		motor hanger, \(\frac{1}{32}\)"x2\[\frac{1}{4}\]"x4\[\frac{1}{8}\]", sheet iron	Ceiur
107984	.15	55	Control Rod For	magneto control, #2, 1/4"x31/4" long	Ceiyz
107987	.70	40		draw bar, 1¼"x3½" long	Cejaw
107993	2.60	36	BracketOr	clamp for truck wheel gudgeon, $1\frac{5}{8}$ " wide x $7\frac{1}{8}$ " long	Cejdy
107997	.10	30		cover 107787, roofing paper	Cejev
108103	.30	1	Acorn Nut For	crank case door stud 107699	Cejib
108109	2.30	52		radiator	Cejko
108112	.50	52		header tube	Cejmi
108124	.25	52		radiator brace 107597, 3/4"x21/2"	Cejoc
108140	.40	19		oil line, 3/4"	Cejse
108143	1.85	52	BracketFor	radiator, cast steel	Cejup
108153	.50	19		oil relief valve ball, 3/4" O.D., 13/4" long	Cejvu
108154	.25	19		oil relief valve, 3/4" dia	Cejxa
108158	1.85	19		oil gauge	Cejyk
108172	.06	52		header tube, brass, 17/8" dia	Cekar
108174	1.75	2		oil filler assembly	Cekbe
108194	.06	2		oil filler assembly, seigelite	Cekiz
108296	.04	52		header tube, durabla, $\frac{1}{16}$ " x 7/8" I.D. x $1\frac{5}{16}$ " 0.D	Cekjy
108297	.02	52		header tube cap, $\frac{3}{16}$ " x_{16}^{13} "	Cekki
108342	.10	15		air warmer lever, 3/8"x3/4"	Cekno
108343	.15	15		air warmer lever pin, #19 ga. steel wire, 11/8" long	Cekod
108800	.25	34		steering clutch brake, right hand, ½"x16" long	Cekuf
108802	.35	54		power pulley housing extension, cast iron	Cekyw
108872	6.50	28		hub spacer, cast iron, 87%" bore x 47%" long	Celai
108936	2.25	10		center bearing, Phos. Bronze, $1\frac{3}{16}$ " I.D. x $1\frac{7}{16}$ " O.D. x $3\frac{13}{16}$ " long.	Celgu
108946	1.80	33	Bushing For	steering control column, Phos. Bronze, $1\frac{7}{16}$ " 0.D. x $1\frac{7}{4}$ " long	Celio

Part No.	Price	Group	Part Name Specifications	Code
108993	1.35	12	Washer For governor gear, Phos. Bronze, 3 "x15 "0.D	Celoa
108994	.03	7	ShimFor connecting rod, sheet brass, .004" thick	Celue
108995	.20	34	Pin Connects foot pedal to lever, 3/8"x15/8"	Cemae
108996	.25	34	Pin Connects steering clutch brake rods to bell crank, ½"xl¾"	Cemel
108996	.25	32	PinFor steering clutch brake, ½"xl¾"	Cemel
109058	7.95	52	Channel For radiator assembly, left hand, cast iron	Cemiu
109063	.02	1	ShimFor crank shaft bearing, center, sheet brass, .004" thick	Cemua
109064	.04	1	ShimFor crank shaft bearing, flywheel end, sheet brass, .004" thick	Ceneu
109092	2.30	9	Guide For tappet, bolts to crank case	Cenha
109130	.12	17	Shim Between water pump and crank case, steel, .004" thick x 11/4"x41/4" lg	Cenil
109132	.03	23	Shim	Cenle
109133	.03	23	Shim For coupling shaft bearing cap 107563, .0156" thick x 1_{76} "x7 $\frac{1}{4}$ " lg.	Cenot
109134	.04	23	Shim	Censi
109144	.35	30	ShimBetween transmission gear case and cover, ½2"x24%, seigelite	Cenuo
109145	.30	30	Shim Between transmission gear case and cover, 32"x234, seigelite	Ceolk
109149	.03	23	Shim	Ceoms
109150	.03	23	Shim	Ceort
109151	.02	23	Shim	Ceotf
109152	.03	23	ShimFor inter. gear shaft bearing 107568, .004" thick x 1 114 x 2 1/4" lg	Ceoyo
109155	.05	23	Shim	Ceozp
109156	.04	23	Shim	Cepax
109157	.06	23	Shim	Cepda
109158	.50	9	BallFor tappet rod, case hardened	Cepem
109160	.95	28	NutFor locking stud bolt 165579, 11/4" thread	Cepfe
109185	.25	12	Seat For governor spring, lever end, 1% rd. x 1" long	Cepho
109188	1.90	24	Thrust Washer For crank shaft ext., M.S., cshd., $\frac{1}{4}$ "x4" I.D. x $5\frac{15}{12}$ " 0.D. slotted	Cepij
109192	.30	28	GasketFor thrust washer 107612, seigelite, $\frac{1}{32}$ "x9½" dia	Cepog
109212	.60	29	Gasket For dust guard assembly, seigelite, $\frac{1}{32}$ "x8½" I.D. x 13" 0.D	Cepru
109223	.10	30	Taper Key For collar 2235SS, 3/8"x3/8"xl18"	Cepuw
109227	.25	22	Spacer For master clutch roller bearing AM700, 5% "xl3% xl5%" 0.D	Cepvi
109229	.20	51	ShimFor motor hanger, 1/8 "x21/4 x41/8", mild steel	Cepwy
109230	.30	51	ShimFor motor hanger, 1/4"x21/4"x41/8", mild steel	Cepyl
109231	.10	51	Shim For motor support, rear, \frac{1}{32}"x2"x2\%", sheet iron	Cereo
109232	.10	51	ShimFor motor support, rear, .05"x2"x23/8", sheet iron	Cernt

Part No.	Price	Group	Part Name Specifications	Code
109233	.10	51	ShimFor motor support, rear, \frac{1}{16}"x2"x2\frac{1}{8}", sheet iron	Ceroy
109234	.10	51	ShimFor motor support, rear, 32 "x23%"x6", sheet iron	Cerye
109235	.10	51	ShimFor motor support, rear, .05"x23%"x6", sheet iron	Cesao
109236	.10	51	Shim For motor support, rear, 18"x23%"x6", sheet iron	Cesia
109253	.07	32	Spacer For steering clutch brake adjusting rod 7244, 1/2 x58	Cesou
109262	.06	37	ShimFor thrust rod bearing, 1½"x1½" dia	Cesuy
109276	2.40	34	Pedal Pad For steering clutch brake pedal, drop forged	Cesyi
109285	.60	55	Arm Or bell crank for magneto and carburetor control	Cetav
109289	.35	49	Nipple For Pomona Air Clarifier, 2½"x1½" long	Cetew
120058	.25	52	Pipe For radiator overflow, ¼"xl4¾" long	Cetic
120059	.40	52	Pipe For radiator overflow, 1/4 "x221/2" long	Cetje
120285	.95	24	Thrust Washer For gear AM1651, .315" thick x 3.313" I.D. x 4½" 0.D	Cetku
120367	11.75	21	Bearing For starting drive, cast iron	Cetob
120368	2.25	21	Shaft For starting drive, 14" dia. x 10" long	Cetry
120369	.95	21	Collar For starting drive, 1" bore x $1\frac{7}{4}$ " 0.D. x $1\frac{7}{16}$ " long	Cetsp
120370	3.85	21	Gear For starting drive, 18 teeth	Cetts
120371	.15	21	Washer For starting drive shaft, 1/8" thick x 21/4" 0.D	Cetux
120629	.02	21	Riveting Pin Holds sprocket to shaft, ¼"x2" long	Cetwi
120633	.95	39	Dust Cover For rear spring bracket, R.H., 1/18"x101/2"x11", sheet iron	Cetxo
120634	.95	39	Dust Cover For rear spring bracket, L.H., 16"x10½"x11", sheet iron	Cetym
120678	.10	51	ShimFor motor, support, rear, 1/8"x2"x23%", mild steel	Cetza
120699	.60	12	Spring For governor, #8 ga., 11/8" I.D. x 51/4" long, spring steel	Ceuan
120706		17	Packing For water pump, 116" I.D. x 116" O.D. x 16" thickWrite for price	Ceuet
120711	.30	25	Set Screw Holds counter shaft in place, 5/8 "x2", replaces M1240	Ceuiy
120730	49.50	26	Clutch Housing For steering clutch, cast iron, for 3½" steering clutch	Ceulo
120731	.35	26	Spring For steering clutch, $3\frac{1}{4}$ " long, for $3\frac{1}{2}$ " face steering clutch	Ceumu
120733	.20	26	Special Nut For stud bolt assembly 165597, holds spring in place, 5%" thread	Ceura
120740	55.00	26	Shaft For friction steering clutch, with integral keys, replaces 165536.	Ceuys
120753	4.95	54	Fork For belt drive attachment	Cevaf
120762	.06	13	Shaft For governor throttle valve, 3/8"x216" C.R.S	Cevde
120763	.45	13	Valve For governor throttle, brass	Ceveg
120785	.75	16	Clamp For exhaust and inlet manifold, right hand, cast steel	Cevit
120786	.75	16	Clamp For exhaust and inlet manifold, left hand, cast steel	Cevja

Part No.	Price	Group	Part Name Specifications		Code
120787	.20	13	Bushing For throttle valve housing, 3/8" I.D. x 5/8" O.D	/0	Cevli
120788	2.75	13	Housing For governor throttle valve		Cevol
122201	.75	12	Weight For governor		Cevpy
160559	2.30	6	Valve Assembly With nuts, electric welded, 5/8" stem		Cevto
160575	.60	31	Cap Screw For steering clutch shifter fork, 3/4"x21/4", wi	th nut	Cevuk
160580	.45	23	Special Bolt Holds transmission case to main frame, 5/8"x2%	" long	Cevwu
160583	3.25	42	Thrust Rod For front idler fork, mild steel, 13/4"x16"; wi	th nuts	Cewal
160893	.55	56	Track Bolt For track shoe, complete with nut and spring	cotter	Cewer
161731	.70	1	Stud Bolt For crank shaft center bearings 103323, 5/8"x"	1/4"	Cewfo
161924	.35	22	Special Bolt For master clutch retaining ring, 3/4", drilled	i, with nut	Cewgy
162077	.35	45	Bolt For truck spring, 7/8"x91/2", drilled		Cewis
162411	26.50	36	Truck Wheel Assem Cast iron, Phos. Bronze bushed, with dust was	hers	Cewji
162487	.60	36	Special Bolt For truck frame roller hinge, 3/4"x31/4"		Cewne
162641		19	Pressure Gauge For oiling system	Write for price	Cewop
162647	.60	23	Special Bolt Holds transmission case to main frame, 5/8"x4"	long	Cewun
162687	.55	36	Special BoltFor truck frame, roller hinge, 3/4"x21/4"		Cewya
162700	.85	3	Special Bolt Bolts flywheel to crank shaft, 3/4"x21/2", with	nut and cotter pin	Cewzu
162724	1.20	7	Special Bolt For connecting rod, 34"x45%", with nut and con	tter pin	Cexat
162725	1.05	1	Special Bolt For crank shaft end bearings, 5%"x516", with	nut and cotter	Cexdo
162747	.65	33	Eye Bolt For steering clutch lever, 81/4" to center of ho	le, 31/4" of 3/4" thread	Cexef
164024	11.50	12	Governor Gear For governor, Phos. Bronze bushed, 13/4" bore	5½" O.D., 31 teeth.	Cexge
164073		12	Roller Bearing For governor plunger 107340	Write for price	Cexly
164128		14	Magneto With impulse starter, K.W. Model R.K	Write for price	Cexom
164167	3.45	19	Oil Relief Valve Complete including valve, base, ball, spring	and adjusting screw	Cexpu
164175	.30	23	Special Bolt For intermediate gear shaft bearing 107568, 3	4"x6½", drilled	Cexug
164221	.55	36	Special Bolt For truck frame roller hinge, 3/4"x21/2		Cexyr
164226	5.25	41	Cushion For operator's seat		Ceyac
164290	18.00	49	Clarifier For air, Pomona 2½"		Ceybi
164303	57.50	48	Tank For fuel, complete with flanges		Ceyce
164312	135.00	22	Master Clutch Assem Complete with discs, retaining ring, driving	hub, etc	Ceyez
164313	9.75	22	Shifter Ring For master clutch, Phos. Bronze, shifts clutch	sh	Ceyfa
164314	27.50	22	Coupling Clutch Asm For master clutch, male half, with keys and	oin, 15" long	Ceygo
164316	2.65	33	Column Assembly For steering control, Phos. Bronze bushed		Ceyhy

Part No.	Price	Group	Part Name	Specifications	Code
164319	6.50	21	Starting Crank Assem.	Complete, crank, handle and handle pin	Ceyig
164322	4.95	52	Section	For radiator, four spiral tube with top and bottom tubes	Ceyls
164323	250.00	52	Radiator	For cooling system, complete with sections	Ceyoh
164324	140.00	54	Shaft Assembly	For belt drive, shaft, gears, ball bearing, housing and cover	Ceyrf
164325	2.25	30	Shaft Assembly	For speed shifter, with keys, $1\frac{11}{16}$ " dia. x 3' $0\frac{5}{8}$ " long	Ceyuj
164326	7.25	30	Cover Assembly	For transmission gear case cover, with cap, pin and oil screen	Ceyxu
164327	1.35	30	Filler Cap Assembly	For cover 107795, cap and spring	Chabo
164328	18.75	34	Shaft Assembly	For steering clutch brakes, pedals, brackets, rocker arm and pin.	Chacy
164329	7.75	32	Brake Band	For steering clutch, left hand, lagged	Chadi
164330	7.75	32	Brake Band	For steering clutch, right hand, lagged	Chaeb
164336	8.50	22	Brake Ring Assembly	For master clutch brake, brake ring lagged	Chahe
164337	6.50	33	Lever Assembly	For side friction steering clutches, lever, eye bolts and rod ends.	Chaif
164338	350.00	28		Right hand, sprocket, hub and spider, ring gear and bolts	Chaks
164339	350.00	28	Track Drive Assembly	Left hand, sprocket, hub and spider, ring gear and bolts	Chalj
164340	41.50	28		For final drive gear, cast iron, with flange riveted on, R.H	Chanp
164340	41.50	29		For final drive gear, cast iron, with flange riveted on, R.H	Chanp
164341	41.50	29		For final drive gear, cast iron, with flange riveted on, L.H	Chaoz
164341	41.50	28		For final drive gear, cast iron, with flange riveted on, L.H	Chaoz
164342	34.00	26		For steering clutch, cast iron, lagged, 3" face, 4" bore	Chapa
164345	46.50	24		Phos. Bronze bushed, 30 teeth, 2" face, crank shaft extension #2	Charx
164347	435.00	23		Complete with caps and shims assembled, all bearings babbitted	Chasu
164348	76.00	42		Or blank sprocket, cast steel, Phos. Bronze bushed	Chauv
164349	4.75	50		For tool equipment, bolts to rear of tractor	Chayn
164351	10.85	31		For steering clutch shifter, collar and thrust washer	Cheax
164359	2.60	23		For oil distributing, in transmission case	Chebz
164361	1.15	9		For intake and exhaust valves, chilled wearing surfaces	Checs
164362	22.00	6		Complete with valves, spring and valve guides	Cheda
164363	4.95	2		Complete with cap, gasket and indicator rod, crank case	Cheem
164384	4.65	47		For engine hood, lower, right hand	
164385	4.65	47		For engine hood, lower, left hand	Cheij
164386	3.60	47		For engine hood, lower, right hand	
164387	3.60	47	Door	For engine hood, lower, left hand	
164388	16.25	47	Cover Assembly	For engine, top section only	Chenf

Part No.	Price	Group	Part Name Specifications	Code
164395		28	Roller Bearing For gear hub and spider 107551, Hyatt	
164396		26	Roller Bearing For forward and reverse gears, Hyatt #17975Write for	
164407	55.00	10	Camshaft Assembly Shaft with cams, center bearing and spiral gear	Cheur
164408	6.50	10	End Bearing For gear end of cam shaft, Phos. Bronze bushed	Chev:
164409	5.25	10	End Bearing For flywheel end of cam shaft, Phos. Bronze bushed	Chewy
164410	17.50	11	Gear Case For timing gears, Phos. Bronze bushed	Chey
164412	1.25	9	Tappet Rod Tappet rod with adjustable ball and lock nut	Chias
164414	37.50	17	Water Pump Complete, body, cover, runner, shaft, glands and suction pipe	Chiba
164415	9.75	17	Pump Body For water pump body 107674 with bearing 107689	Chic:
164416	5.50	17	Cover For water pump, cover 107673 with bearing 107689	Chift
164417	5.75	21	Roller Chain For starting device	Chihu
164422	1.25	21	Retaining Spring For starting drive gear 120370	Chike
164424	8.25	46	Fender Assembly Left hand, rear	Chilp
164425	8.25	46	Fender Assembly Right hand, rear	Chinx
164426	.40	26	Stud Bolt½"x5½", with spec. nut, used with 3" steering clutch	Chiol
164427	11.45	26	Washer Assembly Complete with studs, used with 3" face steering clutch	Chiry
164429	5.25	10	Center Bearing For cam shaft, Phos. Bronze bushed	Chiso
164443		20	Bearing	orice Chity
164444	48.50	20	Fan Assembly For radiator fan, housing, bearings, shaft and tighteners	Chiuk
164445		20	Roller Bearing For fan, S.K.F	orice Chiyf
164446		20	Roller Bearing For fan, Gurney	rice Choa
164447	12.25	20	Fan Blades and Hub Hub with arms and blades	Chobs
164452	8.95	41	Seat Assembly For operator, less cushion, less base 107758, less pivot 107	783 Chock
164453	13.95	41	Seat Assembly For operator, less cushion, with base 107758 and pivot 10778	Chodi
164455	7.45	15	Air Warmer Assembly Body, valve, shaft and lever, bolts to manifold	Choes
164497		54	Roller Bearing For belt drive, Hyatt #27131	Choir
164502	6.50	20	Fan Blades and Arm Arm and blades, less hub	Choji
164560	4.35	15	Flexible Tube For air intake, tube, clamps and flange	Choka
164636	5.25	14	Fibre Tube AssemblyComplete with cables	Chold
164645	.75	14	Magneto Cable For #1 and #2 cylinders, 28½" long, with terminals	Chomp
164646	.85	14	Magneto Cable For #3 cylinder, 371/2" long, with terminals	Chons
164647	.95	14	Magneto Cable For #4 cylinder, 441/2" long, with terminals	Choow
164660	.20	27	Washer Assembly For locking nut 107582, 1% I.D. x 31/4" 0.D	Chopf

Part No.	Price	Group	Part Name	Specifications	Code
164934	.25	23	Stud Bolt	Holds transmission case to main frame, 5% "x3½" long	Chorc
164944	.20	4	Stud Bolt	Holds cylinders to crank case, 3/4"x276", with nut	Chotz
164952	.45	39	Stud Bolt	Or gudgeon, for track carrier roller assembly	Chovo
164960	.30	4		For cylinders, 5/8"x61/4", with nut	Chowe
165103	.40	4		For cylinders, 5% "x7½", with nut	
165506	.35	11		For timing gear case, 3/8"x43/8" long	Choyb
165508	.40	11		For timing gear case, 3/8"x51/8" long	Chozy
165509	.35	11	Special Bolt	For timing gear case, 3/8"x43/8" long, ground to size	Chuap
165510	.30	11	Special Bolt	For timing gear case, 3%"x334" long	Chuco
165511	.45	28	Special Bolt	For holding ring gear 107564 to spider, 3/4"x23/8" long	Chuej
165512	.75	28	Special Bolt	Fastens sprocket 107862 to hub 165535, 1/8 "x3" long	
165513	.45	36	Special Bolt	For truck wheel gudgeon bracket, 5% "x17%"	Chuhi
165514	.45	36		For truck wheel gudgeon bracket, 5/8"x2"	Chuiw
165515	.45	51		For motor support hanger, 5%"x4"	Chulv
165516	.45	51		For motor suspension plate, 18 x2½", ¾" thread	
165517	.45	51		For rear motor support, 18 x21/4", 3/4" thread	Chunc
165518	.45	51		For rear motor support, 3/4"x2", head 16" thick	Chuox
165519	.45	51		For rear motor support, 3/4"x2", head 5 thick	Chups
165520	.45	51	Special Bolt	For motor support, 5/8"x41/4"	Churb
165521	.20	55	Special Bolt	For bell crank arm 109285, ½"xl33" long	Chush
165524	24.00	4	Cylinder Assembly	#1 cylinder, complete with studs and nuts	
165525	24.00	4	Cylinder Assembly	#2 or #3 cylinder, complete with studs and nuts	Chuwk
165526	24.00	4		#4 cylinder, complete with studs and nuts	Chuxy
165527	2.60	9		For rocker arm malleable iron, with stud, bolts to cylinder head	Chuyg
165528	.55	23		Holds transmission case to main frame, 5%"x3½" long	Chyab
165534	23.65	27		For intermediate gear 107588, 3" dia. x 2313" long, with nut	Chyds
165535	47.00	28		For final drive sprocket, 23½" O.D. with 6" hub	Chyen
165536		26		For friction steering clutch, with feather keys, replaced by 120740	
165537	2.50	33	Adjusting Rod	For steering control, 34"x26" long, with nuts	Chyix
165538	.95	33	Eye Bolt	For steering clutch lever 107767, 233/8" long, 3/4" thread	
165541	.35	4		For cylinders, 5% "x7" with nut	Chylz
165542	.15	6		For cylinder head dust cover, ½"x3" long	
165543	.25	15	Stud Bolt	. Holds air warmer to manifold, ½"x4¼"	Chynk

Part No.	Price	Group	Part Name Specifications	Code
165544	.15	17	Stud Bolt For flanged discharge pipe, ½"xl5%" long	Chyoj
165545	.20	20	Stud Bolt Holds fan assembly to gear case cover, ½"x25%"	Chyrg
165546	.15	17	Stud BoltFor water manifold, 3/8"x11/2" long	Chysm
165547	.35	16	Stud BoltFor manifold clamps, 5% "x65%" long	Chyth
165548	.45	19	Adjusting Screw For oil relief valve spring, 7/8"x21/2", with lock nut	Chyuc
165562	.20	23	Special Bolt For steering clutch shaft bearing, 34"x6", drilled	Chyva
165563	.35	22	Stud Bolt For master clutch driving hub, 34"x21/8"	Chywo
165564	.45	23	Stud BoltFor coupling shaft bearing, 3/8"x91/8" drilled	Chyxe
165565	.25	23	Stud Bolt For coupling shaft bearing cap, 58"x41/4" long, with nut	Chyzi
165566	.30	23	Stud Bolt For coupling bearing cap, 58 "x41/2" long, with nut	Ciaaw
165567	.30	23	Stud BoltFor coupling shaft bearing, 1/8"x41/4" drilled	Ciabt
165579	1.65	28	Stud BoltFor end of track drive shaft, 14 x34 long	
165580	.40	28	Stud Bolt For track drive shaft bearing caps, 34"x43%" long	
165581	.45	40	Stud BoltFor draw bar, 3/4"x53/4" long	
165582	.35	30	Stud BoltFor cover, 7/8"x35/8" long	
165583	.30	30	Stud BoltFor cover, 78"x25%" long	Ciahn
165584	.15	52	Stud Bolt For radiator hose connection, ½"xl34"	Ciako
165596	34.00	26	Fric. Plate Assem For steering clutch, cast iron, lagged, 3½" face, 4" bore	Cialf
165597	.40	26	Stud Bolt½"x5½" with special nut, used with 3½" steering clutch	Ciami
165600	11.45	26	Washer Assembly Complete with studs, used with 3½" face steering clutch	Cianz
165643	6.75	13	Throttle Body For governor throttle, housing, shaft, valve and lever	Ciaoc
165648	13.25	12	Gear Assembly Governor gear 164024 with weights and pins	
A93	.95	6	Guide For valve stem in cylinder head	
ACDH5	4.85	18	Body For rotary oil pump	
AM48		13	CarburetorSchebler 1½"	
AM126		48	Vacuum SystemStewart Complete	Ciavu
AM143	13.25	18	Rotary Oil Pump Complete with shaft	Ciaxa
AM629	260.00	56	Track Chain For 72" tread, Style 37, one side only, complete less shoes	Ciayk
AM700		22	Self Aligning Brg For end of crank shaft, $1\frac{2}{64}$ " bore x $2\frac{13}{16}$ " 0.DWrite for price	
AM713	33.50	35	Top Plate Assembly For truck frame, R.H., rear, plate and channel	
AM714	33.50	35	Top Plate Assembly For truck frame, L.H., rear, plate and channel	
AM778	6.75	39	Roller Assembly For track carrier, rear, bracket, rollers and gudgeon	
AM779	6.50	39	Roller Assembly For track carrier, front, bracket, rollers and gudgeon	Cibuy

Part No.	Price	Group	Part Name	Specifications	Code
		-		•	
AM1212	7.25	31		For steering clutch shifter, $5\frac{1}{2}$ " I.D. x $7\frac{1}{2}$ " O.D., with $\frac{7}{16}$ " balls.	
AM1213	6.50	26	Ball Bearing Assem	For steering clutches, Phos. Bronze retainer with steel balls	
AM1282	345.00	56	Track Chain	For 72" tread, Style 37, one side only, with 20" shoes	Cicoy
AM1283	357.50	56		For 72" tread, Style 37, one side only, with 24" shoes	Cicye
AM1284	375.00	56	Track Chain	For 72" tread, Style 37, one side only, with 28" shoes	Cidal
AM1285	332.50	56		For 72" tread, Style 37, one side only, with 16" shoes	Cider
AM1435	12.50	5		Complete with rings, set screw, lock washer and nut	
AM1463	25.50	7		Complete with bushings, shims and bolts	
AM1509		14	Spark Plug	Splitdorf, 7/8", 18 thread	Cidis
AM1522		8	Priming Cup	For cylinder head, brass	Cidji
AM1606	10.50	56	Track Link	For Style 37 track, cast steel, with space block assembled	Cidne
AM1651	48.00	24	Clutch Gear	For crank shaft extension, 36 teeth, 2" face, Phos. Bronze bushed.	Cidop
AM1656		8	Release Cock	For cylinder, brass	Cidun
AM1658	23.00	25		For change speed shaft, cast steel, Phos. Bronze bushed	Cidya
B251	1.60	18		For rotary oil pump shaft, Phos. Bronze, $1\frac{1}{16}$ " bore x 2" long	Cidzu
B315	8.65	42		Floating, for track idler, Phos. Bronze, $2\frac{3}{13}$ " bore x $6\frac{3}{32}$ " long	Cieag
B355	1.25	7	Bushing	For connecting rod, Spec. Arm. Metal (two required per rod)	Cieba
B359	2.25	7	Bushing	For connecting rod, Phos. Bronze, $1\frac{15}{16}$ " I.D. x $2\frac{5}{16}$ " 0.D., $2\frac{7}{8}$ " long.	Cieci
E2377	2.75	24	Thrust Washer	For crank shaft ext. Phos. Bronze, $\frac{5}{16}$ " thick x 4" I.D. x $5\frac{15}{32}$ " O.D	Ciedz
E2377	2.75	26		For clutch housing, Phos. Bronze, 5 "thick x 4" I.D. x 5 1 0.D	Ciedz
E2593	2.65	38		For radial arm E2785, cast steel, 17 bore	Cieeh
E2645	5.75	31		For steering clutch shifter, Phos. Bronze, 85% "I.D. x 7%" thick	Cieft
E2665	3.85	38		For center radial arm E2785, cast steel, 178 bore	Ciehu
E2669	5.50	23		For steering clutch shaft bearing, babbitted, 37/8"x3" long	Ciein
E2693	1.45	39		For track carrier, chilled face, $5\frac{1}{2}$ " 0.D	Cieke
E2694	.25	39		For track carrier roller assembly, 11 bore x 11/4" 0.D. x 3" long	Cielp
E2696	2.55	39		For front track carrier roller, cast iron	Ciemc
E2697	2.80	39		For rear track track carrier roller, cast iron	Cienx
E2698	1.50	22		For master clutch, cast steel, 3/4" holes x 218" center to center.	
E2785	7.50	38		For truck frame, steel, $13\frac{5}{16}$ " c. to c. of holes	Ciery
E2786	8.50	36		For roller frame, cast steel	Cieso
E2787	8.00	36		For roller frame, cast steel	
M1050	2.75	14			

Part No.	Price	Group	Part Name	Specifications	Code
M1052	.15	14	Clamp	. For fibre tube, bolts to cylinders	Ciews
M1062	1.95	18	Shaft	. For rotary oil pump, 3/4"x24" long	Cifae
M1112	2.75	5	Wrist Pin	. For piston, special steel, case hardened and ground	Cifel
M1144	. 45	8	Lever	. For priming cups, forged 1/8 "x1/2"x2'. 8"	Cifiu
M1186	.15	18	Pin	For rotary oil pump gear, ½"xl11" long	Cifua
M1417	.10	16	Gasket	. For inlet and exhaust manifold, copper asbestos	Cigak
M1427	.65	8	Lever	. For release cocks, forged, 3 "x5 "x2' 9"	Cigei
M1429	1.80	14		. Piece #3, for magneto, with lugs	Cight
M1430	1.75	14		. Piece #4, for magneto, with taper bore	Cigid
M1431	1.15	14		Piece #5, for magneto, with slots	Cigla
M2013	.35	18		. For rotary oil pump, brass	Cigor
M2025	.25	1		. For crank shaft center bearing stud, tapped 5%"	Cigre
M2087	.35	18		. For rotary oil pump screen	Cigsy
M2292	.60	5		. For piston, ground and cut	Ciguz
M2293	1.00	6		. For cylinder head, copper asbestos	
M2503	.80	9	Pin	. For rocker arms, 15 x578, case hardened and ground	Cihad
M2504	.40	9		. For rocker arm pin, $\frac{7}{16}$ " thick, $\frac{15}{16}$ " bore, $1\frac{1}{16}$ " 0.D	Cihbu
M3425	1.45	30		For shifter shaft 164325	Cihec
M3516	.25	2	Gasket	. For oil reservoir 107708, card board	Cihih
M3781	.25	23		. For transmission center bearing reservoir, 34 x4 1/2 dia	Cihmo
M3782	.20	23	Cover	. For end of change speed shaft, 34"x4" dia	Cihov
M4619	.95	31		. For steering clutch shifting ring, galv. iron, 97%" 0.D	Cihti
M4620	.40	31		. For steering clutch shifter ring, 1/8" thick x 97/8" O.D	Cihus
M4732	1.00	26	Washer	. For end of steering clutch shaft, ½" thick x 35 I.D. x 34 O.D	Cihvy
M4733	2.25	26		For steering clutch housing, 1/2" thick x 33/4" I.D. x 43/4" O.D	Cihwa
M4908	17.75	26	Spur Pinion	. Keys to steering clutch housing, 18 teeth, 3" face, 378" bore	Cihyx
M4918	.10	26		For cap screw M4933, mild steel, $\frac{7}{16}$ "xl"xl $\frac{1}{2}$ "	Cihze
M4931	.02	24		. Holds feather key 2347SS to shaft, $\frac{1}{4}$ " dia. x $3\frac{1}{2}$ " long	Cijar
M4932	.25	26	Straight Key	. For driver 5043SF, 5% "x5% "x416" long	Cijbe
M4933	.40	26	Cap Screw	. For washer M4732, special 34"x1½"	Cijiz
M4935	.07	26	Cap Screw	. For screw collar M4733 with keeper M4937, 1/4"x3/8" drilled	Cijjy
M4937	.03	26	Keeper	. For screw collar M4733, mild steel, 1/8 "x1/2" x5/8"	Cijki
M5639	.05	31	Cap Screw	For retaining washer keeper M5642, ¼"x½", drilled head	Cijno

Part No.	Price	Group	Part Name	Specifications	Code
M5639	.05	26	Cap ScrewFo	r keeper M4918, ¼"x½", drilled head	Cijno
M5642	.05	31	KeeperFo	r retaining washer 105616, 1/8 "x1/2"x11/2"	Cijod
M5859	.15	31	Dowel PinFo	r steering clutch shifter, 5 x13 long	Cijtu
M5931	.20	28	Shim Fo	r drive shaft bearing, fibre, $\frac{1}{32}$ "x15%"x20 $\frac{7}{16}$ " long	Cijuf
M5932	.25	28	ShimFo	r drive shaft bearing, fibre, 16 x15/8 x2016 long	Cijyw
M5933	.15	28		r drive shaft bearing, fibre, $\frac{1}{64}$ "x15%"x20 $\frac{7}{16}$ " long	Cikan
M7122	1.90	24	Thrust Washer Fo	r crankshaft ext., M.S., cshd., $\frac{1}{4}$ " thick x 4" I.D. x $5\frac{15}{32}$ " 0.D.	Ciket
M7122	1.90	26	Thrust Washer Fo	r clutch housing, $\frac{1}{4}$ " thick x 4" I.D. x $5\frac{15}{32}$ " O.D., casehardened.	Cixet
M7511	7.25	36	Channel Fo	r front truck frame, inside, left hand, 6" channel, 3' 4" long.	Cikiy
M7512	7.25	36	ChannelFo	r front truck frame, outside, left hand, 6" channel, 3' 4" long.	Ciklo
M7513	5.75	35	ChannelFo	r truck frame, inside, left hand, 6" channel, 2' 8" long	Cikmu
M7514	5.75	35	ChannelFo	r truck frame, outside, left hand, 6" channel, 2' 8" long	Cikoe
M7616	.15	56		r track shoe reinforcing, mild steel, ¼"x1¾"x8¼" long	Cikra
M8001	.85	38	Pin Fo	r radial arm E2785, steel, heat treated, $1\frac{7}{16}$ " $x4\frac{7}{8}$ "	Cikui
M8781	2.30	31	Thrust Washer Fo	r thrust bearing AM1212, $\frac{5}{16}$ " thick x $4\frac{29}{32}$ " bore x $7\frac{1}{4}$ " 0.D	Cikys
M8788	.04	26	KeeperFo	r screw collar M4733, mild steel, 1/8 "x1/2" x1/2"	Cilax
M8874	.45	42	Washer Fo	r front idler shaft, $\frac{1}{4}$ " thick x $2\frac{3}{16}$ " bore x 4" 0.D	Cilcs
M8875	.20	42	WasherFo	r front idler shaft, $\frac{1}{8}$ " thick x $2\frac{3}{16}$ " bore x 4" 0.D	Cilda
M9046	.05	18		tween rotary oil pump body and cover	
M10103	7.35	25	Counter Shaft Fo	r change speed, 23/8" dia. x 125/8" long	Cilfe
M10438	14.50	38		coupling shaft, for truck frames, 23 "x7' 8½"	Cilho
M10554	2.50	56	Track Shoe Fo	r Style 37 track, 16" shoe, drop forged plow steel	Cilij
M10555	2.95	56		r Style 37 track, 20" shoe, drop forged plow steel	Cilog
M10556	3.60	56		r Style 37 track, 24" shoe, drop forged plow steel	Cilru
M10557	4.15	56		r Style 37 track, 28" shoe, drop forged plow steel	
M10630	1.85	10		r cam shaft, 13 teeth, $1\frac{3}{16}$ " bore	Ciluw
M10658	.25	19		r crank shaft bearings, copper 3/4"xll" long	
M10774	14.50	36		r front truck frame, right or left hand	Cilyl
M10777	12.85	35		r truck frame, plate only, right or left hand	Cimap
M11181	.20	7		ecial, holds bushing in connecting rod, 3/8"x5/8"	Cimco
M11187	1.45	18		r rotary oil pump, keywayed, $1\frac{1}{2}$ " dia., 1" face, 7 teeth	Cimej
M11188	1.35	18		r rotary oil pump, not keywayed, 1½" dia., 1" face, 7 teeth	
M11894	.04	30		r shifting lever lock pin 2309SS, 2½" long	
M12018	.04	9	GasketFo	r tappet guide, seigelite, $\frac{1}{32}$ "x2½"x7¾"	Cimiw

Part No.	Price	Group	Part Name	Specifications	Code
M12040	.10	25	Set Screw	. Holds counter shaft in place, ½"x2", replaced by 120711	Cimox
M12069	2.20	31	Thrust Washer	For shifter collar 164351, $\frac{9}{32}$ " thick x $5\frac{17}{32}$ " I.D. x $7\frac{1}{4}$ " 0.D	Cimps
M12244	.15	33	Pin	For eye bolts 162747 and 165538, ½"x2¼"	Cimsh
Z438	1.60	10	Cam	. Intake or exhaust, face chilled and ground	Cimud
Z655	6.50	1	Crank Shaft Bearing	For center bearing, babbitted with Spec. Arm. Metal	Cimve
Z659	9.95	1	Crank Shaft Bearing	For flywheel end, babbitted with Spec. Arm. Metal	Cimxy
Z660	4.95	1	Bearing Cap	For bearing Z655, babbitted with Spec. Arm. Metal	Cimyg
Z674	3.20	18	Spiral Gear	For rotary oil pump shaft, Phos. Bronze, 11 bore, 13 teeth	Cinab
Z683	94.00	3	Flywheel	Bolt to flange on crank case, teeth cut for starting device	Cinds
Z713	1.25	18	Cover	For rotary oil pump body, Phos. Bronze	Cinen
ZH31	2.00	9	Tappet	With chilled face, ground	Cinfu

Page 54



